물질안전보건자료(MSDS)

제품명	Kixx HD CG-4 20W-50		
목록번호	최초 작성일자	최종 개정일자	작성부서
LB3031	2012-11-30	2019-03-29	윤활유기술개발팀

1. 화학제품과 회사에 관한 정보

가. 제품명

- Kixx HD CG-4 20W-50

나. 제품의 권고 용도와 사용상의 제한

- 제품의 권고 용도 : 35. 윤활유 및 첨가제
  디젤엔진오일
- 제품의 사용상의 제한 : 정해진 용도 이외에는 사용하지 말것

다. 공급자 정보

○ **제조사**

- 제조회사명 : 지에스칼텍스(주)
- 주소 : 서울특별시 강남구 논현로 508
- 긴급 전화번호 : 1899-5145
- 팩스번호 :

2. 유해·위험성

가. 유해·위험성 분류

- 해당없음

나. 예방조치문구를 포함한 경고표지 항목

○ **그림문자**

- 해당없음

○ **신호어**

- 해당없음

○ **유해·위험문구**

- 해당없음

○ **예방조치문구**

1) 예방

- 해당없음

2) 대응

- 해당없음

3) 저장

- 해당없음

4) 폐기

- 해당없음

다. 유해·위험성 분류기준에 포함되지 않는 기타 유해·위험성

○ 제품 NFPA 등급 : 보건 , 화재 , 반응성

(※ 0-불충분, 1-약간, 2-보통, 3-높음, 4-매우높음)

※ 물질 NFPA 등급.

- Distillates (petroleum), hydrotreated heavy paraffinic : 보건=1, 화재=1, 반응성=0
- 영업비밀1 : 보건=0, 화재=0, 반응성=0
- Ethylene propylene copolymer : 보건=1, 화재=1, 반응성=0
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 보건=1, 화재=1, 반응성=0
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 보건=0, 화재=0, 반응성=0
- ar-Nonyl-N-(nonylphenyl)benzenamine : 보건=1, 화재=1, 반응성=0

3. 구성성분의 명칭 및 함유량

화학물질명	관용명 및 이명(異名)	CAS No.	EC No.	함유량(%)
Distillates (petroleum), hydrotreated heavy paraffinic		64742-54-7	265-157-1	85 ~ 95
영업비밀1				5 ~ 15
Ethylene propylene copolymer		9010-79-1	618-455-4	0 ~ 2
Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts		68649-42-3	272-028-3	0 ~ 1
Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased		122384-87-6		0 ~ 1
ar-Nonyl-N-(nonylphenyl)benzenamine		36878-20-3	253-249-4	0 ~ 1

4. 응급조치요령

가. 눈에 들어갔을 때

- 물질과 접촉시 즉시 20분 이상 흐르는 물에 눈을 씻어내시오.
- 즉시 의료조치를 취하시오.

나. 피부에 접촉했을 때

- 물질과 접촉시 즉시 20분 이상 흐르는 물에 피부를 씻어내시오.
- 오염된 옷과 신발을 제거하고 격리하시오.
- 재사용 전에는 옷과 신발을 완전히 씻어내시오.
- 즉시 의료조치를 취하시오.

다. 흡입했을 때

- 신선한 공기가 있는 곳으로 옮기시오.
- 호흡하지 않는 경우 인공호흡을 실시하시오.
- 호흡이 힘들 경우 산소를 공급하시오.
- 긴급 의료조치를 받으시오.

라. 먹었을 때

- 의식이 없는 사람에게 입으로 아무것도 먹이지 마시오.
- 즉시 의료조치를 취하시오.

마. 기타 의사의 주의사항

- 의료인력이 해당물질에 대해 인지하고 보호조치를 취하도록 하시오.
- 아드레날린 제제를 투여하지 마시오.

5. 폭발·화재시 대처방법

가. 적절한(부적절한) 소화제

○ 적절한 소화제

- 소형 화재: 건조모래, 건조화학제, 내알콜포말, 물분무, 일반포말, CO2 (적절한 소화제).
- 대형 화재: 물분무/안개, 일반포말 (적절한 소화제).

○ 부적절한 소화제

- 고압주수 (부적절한 소화제).

나. 화학물질로부터 생기는 특정 유해성

- 열, 스파크, 화염에 의해 점화할 수 있음.
- 가열시 용기가 폭발할 수 있음.
- 화재시 자극성, 독성 가스를 발생할 수 있음.
- 물질의 흡입은 유해할 수 있음.
- 일부 액체에서 현기증 및 질식을 유발하는 증기를 발생할 수 있음.
- 열, 스파크, 화염에 의해 점화할 수 있음.
- 가열시 용기가 폭발할 수 있음.
- 일부는 탈 수 있으나 쉽게 점화하지 않음.
- 화재시 자극성, 독성 가스를 발생할 수 있음.
- 물질의 흡입은 유해할 수 있음.
- 일부 액체에서 현기증 및 질식을 유발하는 증기를 발생할 수 있음.

다. 화재진압시 착용할 보호구 및 예방조치

- 일부는 고온으로 운송될 수 있음.
- 누출물은 오염을 유발할 수 있음.
- 접촉 시 피부와 눈에 화상을 입힐 수 있음.
- 소화수의 처분을 위해 도랑을 파서 가두고 물질이 흩어지지 않게 하시오.
- 탱크 화재시 소화가 진화된 후에도 다량의 물로 용기를 식히시오.
- 탱크 화재시 압력 방출장치에서 고음이 있거나 탱크가 변색할 경우 즉시 물러나시오.
- 탱크 화재시 화염에 휩싸인 탱크에서 물러나시오.

6. 누출사고시 대처방법

가. 인체를 보호하기 위해 필요한 조치사항 및 보호구

- 모든 점화원을 제거하시오.
- 피해야할 물질 및 조건에 유의하시오.
- 오염지역을 환기하시오.
- 노출물을 만지거나 걸어다니지 마시오.

나. 환경을 보호하기 위해 필요한 조치사항

- 수로, 하수구, 지하실, 밀폐공간으로의 유입을 방지하시오.

다. 정화 또는 제거 방법

- 소량 누출시 모래, 비가연성 물질로 흡수하고 용기에 담으시오.
- 다량 누출시 액체 누출물과 멀게하여 도랑을 만드시오.
- 청결한 삽으로 누출물을 깨끗하고 건조한 용기에 담고 느슨하게 닫은 뒤 용기를 누출지역으로부터 옮기시오.
- 분말 누출시 플라스틱 시트로 덮어 확산을 막고 건조한 상태로 유지하시오.

7. 취급 및 저장방법

가. 안전취급요령

- 피해야할 물질 및 조건에 유의하시오.
- 취급 후 철저히 씻으시오.
- 공학적 관리 및 개인보호구를 참조하여 작업하시오.
- 고온에 주의하시오.
- 물질 유출시 공기 중 산소 농도를 저하시켜서 밀폐된 장소에서 질식을 일으킬 수 있으므로 유출되지 않도록 주의하시오.
- 공기 중 고농도 상태에서 산소 결핍을 일으켜 의식상실 혹은 사망을 일으킬 위험이 있으므로 해당 장소에 들어가기 전 산소 농도를 체크하시오.
- 용기 취급시 안전을 위하여 적절한 기계장치를 사용을 권장.
- 투입시 원액의 피부 및 눈과 직접 접촉을 피할 것. 취급 후 깨끗이 씻을 것.
- 화염, 불꽃, 스파크 등에 의한 화재를 주의할 것.
- 작업시에는 "제8항"에 의한 적절한 개인보호구를 착용할 것.

나. 안전한 저장방법

- 밀폐하여 보관하시오.
- 서늘하고 건조한 장소에 저장하시오.
- 피해야할 물질 및 조건에 유의하시오.
- 포장용기가 손상 및 오손될 수 있는 곳을 피할 것.
- 환기가 양호하고, 직사광선이나 열원으로부터 떨어진 건조한 장소에 보관할 것.
- 강 산화제 및 산으로부터 보호될 수 있는 곳을 선택할 것.
- 드럼 취급시의 안전공간이 확보된 곳에서 작업할 것. 3단 이상의 적재를 금함.

8. 노출방지 및 개인보호구

가. 화학물질의 노출기준, 생물학적 노출기준 등

○ 국내규정

- Distillates (petroleum), hydrotreated heavy paraffinic : TWA 해당없음, STEL 해당없음
- 영업비밀1 : TWA 해당없음, STEL 해당없음
- Ethylene propylene copolymer : TWA 해당없음, STEL 해당없음
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : TWA 해당없음, STEL 해당없음
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : TWA 해당없음, STEL 해당없음
- ar-Nonyl-N-(nonylphenyl)benzenamine : TWA 해당없음, STEL 해당없음

○ ACGIH 규정

- Distillates (petroleum), hydrotreated heavy paraffinic : TWA 해당없음, STEL 해당없음
- 영업비밀2 : TWA 해당없음, STEL 해당없음
- Ethylene propylene copolymer : TWA 해당없음, STEL 해당없음

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : TWA 해당없음, STEL 해당없음
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : TWA 해당없음, STEL 해당없음
- ar-Nonyl-N-(nonylphenyl)benzenamine : TWA 해당없음, STEL 해당없음

○ 생물학적 노출기준

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- 영업비밀3 : 해당없음
- Ethylene propylene copolymer : 해당없음
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 해당없음
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 해당없음
- ar-Nonyl-N-(nonylphenyl)benzenamine : 해당없음

나. 적절한 공학적 관리

- 공정격리, 국소배기를 사용하거나 공기수준을 노출기준 이하로 유지하시오.

다. 개인보호구

○ 호흡기 보호

- 사용 빈도가 높거나 노출이 심한 경우에는 호흡용 보호구가 필요.
- 호흡용 보호구는 한국산업안전공단의 검정("안" 마크)을 필할 것.

○ 눈 보호

- 화학물질 방어용 안경과 보안면을 사용하시오.
- 작업장 가까운 곳에 세안설비와 비상샤워시설을 설치하시오.
- 비산물, 유해한 액체로부터 보호되는 보안경을 겹쳐 사용할 수 있는 보안면을 착용할 것.

○ 손 보호

- 절연용 장갑을 착용하시오.
- 피부접촉을 보호하기 위한 내화학성(라텍스, 니트릴 고무, 피브이씨)재질의 불투습형 보호장갑을 착용할 것.

○ 신체 보호

- 적합한 내화학성 보호의를 착용하시오.
- 유제의 반복 또는 장기 접촉을 피하기 위한 내화학성 재질의 내유성 불투습형 보호의 및 안전화를 착용할 것.

9. 물리화학적 특성

항목	입력값
외관	물리적 상태-액체(점성), 색상-갈색
냄새	석유계 화합물의 냄새
냄새역치	자료없음
pH	자료없음
녹는점/어는점	자료없음
초기 끓는점과 끓는점범위	자료없음
인화점	238 ℃
증발속도	자료없음
인화성	자료없음
인화폭발범위	자료없음

증기압	자료없음
용해도	자료없음
증기밀도	자료없음
비중	0.87
분배계수	자료없음
자연발화온도	자료없음
분해온도	자료없음
점도	19.4 mm2/s (at 100℃)
분자량	자료없음

10. 안정성 및 반응성

가. 화학적 안정성 및 유해 반응의 가능성

- 상온상압조건에서 안정함.
- 가열시 용기가 폭발할 수 있음.
- 화재시 자극성, 독성 가스를 발생할 수 있음.
- 물질의 흡입은 유해할 수 있음.
- 일부 액체에서 현기증 및 질식을 유발하는 증기를 발생할 수 있음.

나. 피해야 할 조건

- 열, 스파크, 화염 등 점화원.

다. 피해야 할 물질

- 가연성 물질.
- 자극성, 독성 가스.

라. 분해시 생성되는 유해물질

- 자료없음

11. 독성에 관한 정보

가. 가능성이 높은 노출 경로에 관한 정보

○ 호흡기를 통한 흡입

- 흡입에 의해 신체 흡수 가능.

○ 피부접촉

- 피부, 소화기를 통해, 에어로졸의 흡입에 의해 신체 흡수 가능.

○ 눈 접촉

- 기체로 호흡기, 눈, 피부를 통해 노출 가능성이 있음
- 액체로 눈, 피부, 경구를 통해 노출 가능성이 있음
- 증기/미스트로 호흡기, 눈, 피부를 통해 노출 가능성이 있음

○ 입을 통한 섭취

- 피부, 소화기를 통해, 에어로졸의 흡입에 의해 신체 흡수 가능.

나. 건강 유해성 정보

○ 급성독성

*** 경구 - PRODUCT : 해당없음 (ATEMix > 2,000 mg/kg)**

- Distillates (petroleum), hydrotreated heavy paraffinic : LD50 >15000 ㎎/㎏ 실험종 : Rat
- Ethylene propylene copolymer : 자료없음
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 자료없음
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 자료없음
- ar-Nonyl-N-(nonylphenyl)benzenamine : LD50 >5000 ㎎/㎏ 실험종 : Rat

*** 경피 - PRODUCT : 해당없음 (ATEMix > 2,000 mg/kg)**

- Distillates (petroleum), hydrotreated heavy paraffinic : LD50 >5000 ㎎/㎏ 실험종 : Rabbit
- Ethylene propylene copolymer : 자료없음
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 자료없음
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 자료없음
- ar-Nonyl-N-(nonylphenyl)benzenamine : LD50> 2 000 mg/kg bw (랫드; 수컷/암컷; OECD Guideline 402; 1988)

*** 흡입(가스) - PRODUCT : 자료없음 (ATEMix = 0)**

- Distillates (petroleum), hydrotreated heavy paraffinic : 자료없음
- Ethylene propylene copolymer : 자료없음
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 자료없음
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 자료없음
- ar-Nonyl-N-(nonylphenyl)benzenamine : 자료없음

*** 흡입(증기) - PRODUCT : 자료없음 (ATEMix = 0)**

- Distillates (petroleum), hydrotreated heavy paraffinic : 자료없음
- Ethylene propylene copolymer : 자료없음
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 자료없음
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 자료없음
- ar-Nonyl-N-(nonylphenyl)benzenamine : 자료없음

*** 흡입(분진, 미스트) - PRODUCT : 해당없음 (ATEMix > 5.0 mg/L)**

- Distillates (petroleum), hydrotreated heavy paraffinic : LC50 5.53 mg/L Rat
- Ethylene propylene copolymer : 자료없음
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 자료없음
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 자료없음
- ar-Nonyl-N-(nonylphenyl)benzenamine : 자료없음

○ 피부부식성 또는 자극성

- Distillates (petroleum), hydrotreated heavy paraffinic : 약한 자극성(rabbit)
- Ethylene propylene copolymer : 자료없음
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 피부에 자극을 일으킴
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 자료없음
- ar-Nonyl-N-(nonylphenyl)benzenamine : 약간 자극

○ 심한 눈손상 또는 자극성

- Distillates (petroleum), hydrotreated heavy paraffinic : 비자극성(rabbit)
- Ethylene propylene copolymer : 자료없음
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 토끼, 눈자극성 있음 OECD 405, GLP
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 자료없음

- ar-Nonyl-N-(nonylphenyl)benzenamine : 토끼 자극 없음

○ 호흡기과민성

- Distillates (petroleum), hydrotreated heavy paraffinic : 자료없음

- Ethylene propylene copolymer : 자료없음

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 기니피그, 과민성 없음

- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 자료없음

- ar-Nonyl-N-(nonylphenyl)benzenamine : 자료없음

○ 피부과민성

- Distillates (petroleum), hydrotreated heavy paraffinic : 비과민성(Guinea Pig)

- Ethylene propylene copolymer : 자료없음

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 기니피그, 과민성 없음

- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 기니피그에서의 여러 가지 피부 과민성 연구 (OECD TG 406)가 이 범주의 각 구성원에 대해 수행되었음. 동물 연구에서의 결과는 모순 된 프로파일을 나타내며 동일한 프로토콜에 따라 동일한 물질로 얻은 몇 가지 예에서 긍정적이고 부정적인 결과가 나타남. 그러나 부정적인 발견은 CAS # 201302-00-236494 및 CAS # 68515-93-5를

- ar-Nonyl-N-(nonylphenyl)benzenamine : 기니피그 피부 과민성 없음

○ 발암성

- Distillates (petroleum), hydrotreated heavy paraffinic : EU CLP:1B IP346 방법에 의해 측정된 DMSO extract가 3% 미만인 경우는 제외

- Ethylene propylene copolymer : 자료없음

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 자료없음

- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 자료없음

- ar-Nonyl-N-(nonylphenyl)benzenamine : 자료없음

○ 생식세포변이원성

- Distillates (petroleum), hydrotreated heavy paraffinic : 음성 CHO cell

- Ethylene propylene copolymer : 자료없음

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 자료없음

- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 이 범주의 모든 구성원은 각 범주의 구성원에 대해 (OECD TG 471)에 따른 시험 관내 세균성 반전 돌연변이 검사와 CAS # 68815-67-8 및 CAS # 201302-00-236494에 대한 (OECD TG476) 에 따른 mammalian cells 시험결과 돌연변이 유발성을 나타내지 않았음.

- ar-Nonyl-N-(nonylphenyl)benzenamine : S. typhimurium TA 1535, TA 1537, TA 98 및 TA 100를 이용한 in vitro Bacterial Reverse Mutation Assay시험 결과 음성

○ 생식독성

- Distillates (petroleum), hydrotreated heavy paraffinic : 랫드에서 어떤 농도에서도 생식 활동에 부정적인 영향을 보이지 않음. Rat

- Ethylene propylene copolymer : 자료없음

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 자료없음

- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 랫드의 2 가지 경구 투여 (위관 영양) 발달 독성 시험에서임신 6 일과 16 일 사이에 0, 50, 300, 1000 mg / kg bw / day의 수준으로 , CAS # 201302-00-236494를 투약하였음. TPP 농도는 선별 연구에서 사용된 상업적 시험 물질의 샘플에서 측정되지 않았음. 최종 연구에 사용된 시험 물질의 샘플은 43 %의 알킬

- ar-Nonyl-N-(nonylphenyl)benzenamine : 모체 독성은 500 mg / kg bw의 용량 수준에서 발생함. (랫드; OECD Guideline 414 ; 2014)

○ 표적장기·전신독성물질(1회노출)

- Distillates (petroleum), hydrotreated heavy paraffinic : 황색으로 얼룩진 항문, 생식부위 탈모, 부은 뒷발이 임상증상으로 확인되었다. Rat

- Ethylene propylene copolymer : 자료없음

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 흡입시 기도를 자극함

- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 자료없음

- ar-Nonyl-N-(nonylphenyl)benzenamine : 자료없음

○ 표적장기·전신독성물질(반복노출)

- Distillates (petroleum), hydrotreated heavy paraffinic : 전신에 영향이 관찰되지 않음 Rat

- Ethylene propylene copolymer : 자료없음

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 자료없음

- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 랫드에서 CAS # 201302-00-236494을 사용한 28 일 반복 투여 투약 독성 연구는 약 0, 20, 100 및 250 mg / kg bw / day가 6 시간 / 일, 4 일 동안 5 일 / 주간 투여되었음. TPP의 농도는 시험 샘플에서 측정되지 않았고 랫드에사 사망이나 전신 독성은 관찰되지 않았음. 연구에서는 전신 NOAEL이 250 mg

- ar-Nonyl-N-(nonylphenyl)benzenamine : NOEL< 100 mg/kg bw/day (랫드; 수컷/암컷; OECD Guideline 408; 2013) 임상 시험과 관련하여 고농도 그룹 (1000 mg / kg bw / d)의 수컷에서 초기 일반 전신 독성이 관찰되었음. 이 동물들은 체중 증가 (-24.2 %)에 상응하는 중대한 및 중등도 장애뿐만 아니라 현저히 낮았음 (-14.6 %).

○ 흡인유해성

- Distillates (petroleum), hydrotreated heavy paraffinic : 자료없음

- Ethylene propylene copolymer : 자료없음

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 자료없음

- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 자료없음

- ar-Nonyl-N-(nonylphenyl)benzenamine : 자료없음

12. 환경에 미치는 영향

가. 생태독성

○ 어류

- Distillates (petroleum), hydrotreated heavy paraffinic : LC50 > 100 mg/L Fish(Pimephales promelas)

- Ethylene propylene copolymer : 자료없음

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : IUCLID LC50 5 ㎎/ℓ ~ 1 ㎎/ℓ 96 hr Pimephales promelas()

- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 자료없음

- ar-Nonyl-N-(nonylphenyl)benzenamine : LC50>100 mg/L (Danio rerio; 96h; OECD Guideline 203; 1989)

○ 갑각류

- Distillates (petroleum), hydrotreated heavy paraffinic : LC50 > 10000 mg/L Aquatic invertebrates(Gammarus pulex)

- Ethylene propylene copolymer : 자료없음

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : IUCLID EC50 5 ㎎/ℓ ~ 1 ㎎/ℓ 48 hr Daphnia pulex()

- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 자료없음

- ar-Nonyl-N-(nonylphenyl)benzenamine : EC50> 100 mg/L(Daphnia magna; 48h; OECD Guideline 202; 2004)

○ 조류

- Distillates (petroleum), hydrotreated heavy paraffinic : NOEC >= 100 mg/L Aquatic algae(Pseudokirchnerella subcapitata)

- Ethylene propylene copolymer : 자료없음

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 자료없음

- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 자료없음

- ar-Nonyl-N-(nonylphenyl)benzenamine : EC50 > 100 mg/L (Desmodesmus subspicatus; 72h; OECD Guideline 201; 2006)

나. 잔류성 및 분해성

○ 잔류성

- Distillates (petroleum), hydrotreated heavy paraffinic : log Kow 6

- Ethylene propylene copolymer : 자료없음

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : (금속화합물이므로 ECOSAR 적용되지 않음)

- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : log kow =20.29

- ar-Nonyl-N-(nonylphenyl)benzenamine : 12.24 log Kow (추정치)

○ 분해성

- Distillates (petroleum), hydrotreated heavy paraffinic : 자료없음

- Ethylene propylene copolymer : 자료없음

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 자료없음

- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 자료없음

- ar-Nonyl-N-(nonylphenyl)benzenamine : 자료없음

○ 생분해성

- Distillates (petroleum), hydrotreated heavy paraffinic : BOD 77 %

- Ethylene propylene copolymer : 자료없음

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 자료없음

- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 자료없음

- ar-Nonyl-N-(nonylphenyl)benzenamine : 15 (%) 28 day ()

다. 생물농축성

- Distillates (petroleum), hydrotreated heavy paraffinic : 자료없음

- Ethylene propylene copolymer : 자료없음

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 3.162 ()

- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : BCF=3.162

- ar-Nonyl-N-(nonylphenyl)benzenamine : 27400 (생물 농축 가능성 있음)

라. 토양이동성

- Distillates (petroleum), hydrotreated heavy paraffinic : 자료없음

- Ethylene propylene copolymer : 자료없음

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : (금속화합물이므로 ECOSAR 적용되지 않음)

- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 자료없음

- ar-Nonyl-N-(nonylphenyl)benzenamine : 35900000 (토양에 흡착될 수 있음, 추정치)

마. 오존층 유해성

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음

- Ethylene propylene copolymer : 해당없음

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 해당없음

- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 해당없음

- ar-Nonyl-N-(nonylphenyl)benzenamine : 해당없음

바. 기타 유해 영향

- Distillates (petroleum), hydrotreated heavy paraffinic : 어류: NOEC(Pimephales promelas) >5000 mg/L/7일
- Ethylene propylene copolymer : 자료없음
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 금속화합물이므로 ECOSAR 적용되지 않음
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 자료없음
- ar-Nonyl-N-(nonylphenyl)benzenamine : 자료없음

13. 폐기시 주의사항

가. 폐기방법

- 기름과 물을 분리하여 분리된 기름성분은 소각하고, 분리한 후 남은 물은 수질오염방지시설에서 처리하시오.
- 증발・농축방법으로 처리한 후 그 잔재물은 소각하거나 안정화 처리하시오.
- 응집・침전방법으로 처리한 후 그 잔재물은 소각하시오.
- 분리・증류・추출・여과・열분해의 방법으로 정제 처리하시오.
- 소각하거나 안정화 처리 하시오.

나. 폐기시 주의사항

- 사업장폐기물을 배출하는 사업자(사업장폐기물배출자)는 사업장에서 발생하는 폐기물을 스스로 처리하거나, 폐기물처리업자, 다른 사람의 폐기물을 재생처리 하는 자, 폐기물 처리시설을 설치 운영하는 자에게 위임하여 처리하여야 함.
- 폐기물관리법상 규정을 준수할 것.

14. 운송에 필요한 정보

가. 유엔번호(UN No.)

- 해당없음

나. 적정선적명

- 해당없음

다. 운송에서의 위험성 등급

- 해당없음

라. 용기등급

- 해당없음

마. 해양오염물질

- 비해당

바. 사용자가 운송 또는 운송수단에 관련해 알 필요가 있거나 필요한 특별한 안전대책

- 화재시 비상조치의 종류 : 해당없음
- 유출시 비상조치의 종류 : 해당없음
- 육상/해상/항공 운송규제사항(ADR/RID, ADN, IMDG, ICAO/IATA)에 의한 분류 및 규제 : 규제 없음

15. 법적 규제현황

가. 산업안전보건법에 의한 규제 - PRODUCT :

- Ethylene propylene copolymer : 해당없음
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 관리대상유해물질
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- ar-Nonyl-N-(nonylphenyl)benzenamine : 해당없음

- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 해당없음
- 영업비밀 : 자료없음

나. 화학물질관리법에 의한 규제 - PRODUCT :

- Ethylene propylene copolymer : 기존화학물질
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 배출량조사대상화학물질,기존화학물질
- Distillates (petroleum), hydrotreated heavy paraffinic : 기존화학물질
- ar-Nonyl-N-(nonylphenyl)benzenamine : 기존화학물질
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 기존화학물질
- 영업비밀 : 자료없음

다. 위험물안전관리법에 의한 규제 - PRODUCT :

- Ethylene propylene copolymer : 해당없음
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 제4류 : 제4석유류 6000 ℓ
- ar-Nonyl-N-(nonylphenyl)benzenamine : 해당없음
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 해당없음
- 영업비밀 : 자료없음

라. 폐기물관리법에 의한 규제 - PRODUCT : 지정 폐기물

- 폐유(액체상태)

마. 기타 국내 및 외국법에 의한 규제

○ 미국관리정보(OSHA 규정)

- Ethylene propylene copolymer : 해당없음
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- ar-Nonyl-N-(nonylphenyl)benzenamine : 해당없음
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 해당없음
- 영업비밀 : 자료없음

○ 미국관리정보(CERCLA 규정)

- Ethylene propylene copolymer : 해당없음
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- ar-Nonyl-N-(nonylphenyl)benzenamine : 해당없음
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 해당없음
- 영업비밀 : 자료없음

○ 미국관리정보(로테르담협약물질)

- Ethylene propylene copolymer : 해당없음
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- ar-Nonyl-N-(nonylphenyl)benzenamine : 해당없음
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 해당없음
- 영업비밀 : 해당없음

○ **미국관리정보(스톡홀름협약물질)**

- Ethylene propylene copolymer : 해당없음
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- ar-Nonyl-N-(nonylphenyl)benzenamine : 해당없음
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 해당없음
- 영업비밀 : 해당없음

○ **미국관리정보(몬트리올의정서물질)**

- Ethylene propylene copolymer : 해당없음
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- ar-Nonyl-N-(nonylphenyl)benzenamine : 해당없음
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 해당없음
- 영업비밀 : 해당없음

○ **EU 분류정보(확정분류결과)**

- Ethylene propylene copolymer : 해당없음
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : Carc. 1B
- ar-Nonyl-N-(nonylphenyl)benzenamine : 해당없음
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 해당없음
- 영업비밀 : 자료없음

○ **EU 분류정보(위험문구)**

- Ethylene propylene copolymer : 해당없음
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : H350
- ar-Nonyl-N-(nonylphenyl)benzenamine : 해당없음
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 해당없음
- 영업비밀 : 자료없음

○ **EU 분류정보(안전문구)**

- Ethylene propylene copolymer : 해당없음
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : S:53-45
- ar-Nonyl-N-(nonylphenyl)benzenamine : 해당없음
- Tetrapropylenephenol, sulfurized, carbonates, calcium salts, overbased : 해당없음
- 영업비밀 : 자료없음

16. 기타 참고사항

가. 자료의 출처

- 본 MSDS는 산업안전보건법 제 41조 및 고용노동부고시 제2016-19호(물질안전보건자료의 비치 등에 관한 기준)에 근거하여 국내 관련 규제 법규 현황 등을 고려하여 작성함.

- 본 MSDS는 KOSHA, NITE, ESIS, NLM, SIDS, IPCS, NCIS 등을 근거로 작성하였음.

나. 최초작성일자

- 2012-11-30

다. 개정횟수 및 최종 개정일자

○ 개정횟수

- 5

○ 최종 개정일자

- 2019-03-29

○ 최종개정이력

- 화학성분 조성 및 물리화학적특성

라. 기타

- 이 정보는 근로자 건강, 환경, 안전을 보호하고자, 현재 가용할 수 있는 DB를 근거로 하여 작성하였음.