GS 칼텍스

물질안전보건자료

제품명	Kixx RD DSZ 32		
MSDS번호	목록번호	최초 작성일자	최종 개정일자
제출대상아님	LB2715	2012-11-30	2024-01-31

1. 화학제품과 회사에 관한 정보

가. 제품명

Kixx RD DSZ 32

나. 제품의 권고 용도와 사용상의 제한

- 제품의 권고 용도 21.1. 윤활유
- 제품의 사용상의 제한 정해진 용도 이외에는 사용하지 말것.

다. 공급자 정보

○ **제조자 정보**

- 회사명 지에스칼텍스(주)
- 주소 서울특별시 강남구 논현로 508
- 긴급 전화번호 1899-5145

2. 유해·위험성

가. 유해·위험성 분류

- 해당없음

나. 예방조치문구를 포함한 경고표지 항목

○ **그림문자**

- 해당없음

○ **신호어**

- 해당없음

○ **유해·위험문구**

- 해당없음

○ **예방조치문구**

1) 예방

- 해당없음

2) 대응

- 해당없음

3) 저장

- 해당없음

4) 폐기

- 해당없음

다. 유해·위험성 분류기준에 포함되지 않는 기타 유해·위험성

○ **제품 NFPA 등급**

(※ 0-불충분, 1-약간, 2-보통, 3-높음, 4-매우높음)

제품명	보건 Health	화재 Flammable	반응성 Reaction
Kixx RD DSZ 32	0	1	0

3. 구성성분의 명칭 및 함유량

화학물질명	관용명 및 이명(異名)	CAS No.	KE No.	함유량(%)
Distillates (petroleum), hydrotreated heavy paraffinic	유제 오일	64742-54-7	KE-12546	96.0 ~ 98.0
Trade secret				0.10 ~ 2.38
Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt		4259-15-8	KE-28657	0.5 ~ 0.7
Distillates (petroleum), hydrotreated light paraffinic	수소 처리된 경질 파라핀계열의 미네랄 오일, 석유 증류액	64742-55-8	KE-12553	0.5 ~ 0.7
Distillates (petroleum), solvent-dewaxed heavy paraffinic	아드리아틱 스필들 오일; (엄격한 용제정제 혹은 수소처리된)미네랄 오일, 석유 증류액, 중 파라핀계열 탈랍 용매 ; 중 파라핀계 증류액으로 제거한 솔벤트	64742-65-0	KE-12602	0.5 ~ 0.7
2,6-di-tert-butylphenol		128-39-2	KE-03085	0.1 ~ 0.2
2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate				0.02 ~ 0.03

※ 비공개 대상물질 정보

대체물질명(총칭명)	승인번호	함유량(%)	유효기간
2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate	T-2022-00004	0.02 ~ 0.03	2027-01-06

※ 상기 성분 내역을 제외한 모든 구성성분은 규제대상 법률 및 산업안전보건법 제104조(유해인자의 분류기준) 유해성 위험성 분류 기준에 해당하지 않아 표시되지 않았습니다.

4. 응급조치요령

가. 눈에 들어갔을 때

- 물질과 접촉시 즉시 20분 이상 흐르는 물에 눈을 씻어내시오.
- 눈에 자극이 지속되면 의학적인 조치·조언을 구하시오.

나. 피부에 접촉했을 때

- 물질과 접촉시 즉시 20분 이상 흐르는 물에 피부를 씻어내시오.
- 오염된 옷과 신발을 제거하고 격리하시오.
- 재사용 전에는 옷과 신발을 완전히 씻어내시오.
- 피부 자극이 생기면 의학적인 조치·조언을 구하시오.

다. 흡입했을 때

- 신선한 공기가 있는 곳으로 옮기시오.

- 호흡하지 않는 경우 인공호흡을 실시하시오.
- 호흡이 힘들 경우 산소를 공급하시오.
- 호흡기 증상이 나타나면 의료기관(의사)의 진찰을 받으시오.

라. 먹었을 때

- 의식이 없는 사람에게 입으로 아무것도 먹이지 마시오.
- 구토를 유발해야 하는지에 대해서 의사의 조언을 받으시오.
- 즉시 의학적인 조치·조언을 받으시오.
- 입을 씻어내시오.

마. 기타 의사의 주의사항

- 의료인력이 해당물질에 대해 인지하고 보호조치를 취하도록 하시오.

5. 폭발·화재시 대처방법

가. 적절한(부적절한) 소화제

- 소형 화재: 건조모래, 건조화학제, 내알콜포말, 물분무, 일반포말, CO2 (적절한 소화제)
- 대형 화재: 물분무/안개, 일반포말 (적절한 소화제)
- 고압주수 (부적절한 소화제)

나. 화학물질로부터 생기는 특정 유해성

- 열, 스파크, 화염에 의해 점화할 수 있음.
- 화재시 자극성, 독성 가스를 발생할 수 있음.
- 물질의 흡입은 유해할 수 있음.

다. 화재진압시 착용할 보호구 및 예방조치

- 일부는 고온으로 운송될 수 있음.
- 누출물은 오염을 유발할 수 있음.
- 접촉 시 피부와 눈에 화상을 입힐 수 있음.
- 소화수의 처분을 위해 도랑을 파서 가두고 물질이 흩어지지 않게 하시오.
- 위험하지 않다면 화재지역에서 용기를 옮기시오.
- 탱크 화재시 소화가 진화된 후에도 다량의 물로 용기를 식히시오.
- 탱크 화재시 압력 방출장치에서 고음이 있거나 탱크가 변색할 경우 즉시 물러나시오.
- 탱크 화재시 화염에 휩싸인 탱크에서 물러나시오.

6. 누출사고시 대처방법

가. 인체를 보호하기 위해 필요한 조치사항 및 보호구

- 노출물을 만지거나 걸어다니지 마시오.
- 모든 점화원을 제거하시오.
- 오염지역을 환기하시오.
- 위험하지 않다면 누출을 멈추시오.
- 분진 형성을 방지하시오.
- 피해야할 물질 및 조건에 유의하시오.

나. 환경을 보호하기 위해 필요한 조치사항

- 수로, 하수구, 지하실, 밀폐공간으로의 유입을 방지하시오.

다. 정화 또는 제거 방법

- 소량 누출시 다량의 물로 오염지역을 씻어내시오.
- 다량 누출시 액체 누출물과 멀게하여 도랑을 만드시오.
- 청결한 삽으로 누출물을 깨끗하고 건조한 용기에 담고 느슨하게 닫은 뒤 용기를 누출지역으로부터 옮기시오.
- 분말 누출시 플라스틱 시트로 덮어 확산을 막고 건조한 상태로 유지하시오.
- 소량 누출시 모래, 비가연성 물질로 흡수하고 용기에 담으시오.

7. 취급 및 저장방법

가. 안전취급요령

- 취급 후 철저히 씻으시오.
- 피해야할 물질 및 조건에 유의하시오.
- 공학적 관리 및 개인보호구를 참조하여 작업하시오.
- 고온에 주의하시오.

나. 안전한 저장방법

- 서늘하고 건조한 장소에 저장하시오.
- 피해야할 물질 및 조건에 유의하시오.
- 밀폐하여 보관하시오.

8. 노출방지 및 개인보호구

가. 화학물질의 노출기준, 생물학적 노출기준 등

화학물질명	국내규정	ACGIH 규정	OSHA 규정	생물학적 노출기준
Distillates (petroleum), hydrotreated heavy paraffinic	TWA : 0.8 mg/m3	자료없음	자료없음	자료없음
Trade secret	자료없음	자료없음	자료없음	자료없음
Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt	자료없음	자료없음	자료없음	자료없음
Distillates (petroleum), hydrotreated light paraffinic	TWA : 0.8 mg/m3	자료없음	자료없음	자료없음
Distillates (petroleum), solvent-dewaxed heavy paraffinic	TWA : 0.8 mg/m3	자료없음	자료없음	자료없음
2,6-di-tert-butylphenol	자료없음	자료없음	자료없음	자료없음
2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate	자료없음	자료없음	자료없음	자료없음

나. 적절한 공학적 관리

- 공정격리, 국소배기를 사용하거나 공기수준을 노출기준 이하로 유지하시오.
- 조건에 맞도록 환기 속도를 조정하시오.

다. 개인보호구

○ 호흡기 보호

- 노출되는 입자상 물질의 물리화학적 특성에 맞는 산업안전보건공단의 인증을 필한 호흡용 보호구를 착용하시오.
- 입자상 물질의 경우 다음과 같은 호흡기 보호구가 권고됨 - 안면부 여과식 방진마스크 또는 공기 여과식 방진마스크(고효율 미립자 여과재) 또는 전동팬 부착방진 마스크(분진, 미스트, 흄용 여과재)
- 산소가 부족한 경우(<196%), 송기마스크, 혹은 자급식 호흡보호구를 착용하시오.
- 사전에 경고 특성을 고려하시오.

○ 눈 보호

- 눈에 자극을 일으키거나 기타 건강상의 장해를 일으킬 수 있는 물질에 대하여 눈을 보호하기 위하여 통기성 보안경을 착용하시오.
- 근로자가 접근이 용이한 위치에 긴급세척시설(샤워식) 및 세안설비를 설치하시오.

- 해당물질에 직접적인 노출 또는 노출 가능성이 있는 경우, 한국산업안전보건공단 인증을 받은 화학물질용 보안경을 착용할 것.

○ **손 보호**

- 화학물질의 물리적 및 화학적 특성을 고려하여 적절한 재질의 보호잡강을 착용하시오.
- 해당물질에 직접적인 노출 또는 노출 가능성이 있는 경우, 한국산업안전보건공단 인증을 받은 화학물질용 안전 장갑을 착용할 것.

○ **신체 보호**

- 화학물질의 물리적 및 화학적 특성을 고려하여 적절한 재질의 보호의복을 착용하시오.
- 해당물질에 직접적인 노출 또는 노출 가능성이 있는 경우, 한국산업안전보건공단 인증을 받은 화학물질용 보호복을 착용할 것.

9. 물리화학적 특성

항목	입력값
외관	액체
색상	자료없음
냄새	자료없음
냄새역치	자료없음
pH	자료없음
녹는점/어는점	자료없음
초기 끓는점과 끓는점범위	자료없음
인화점	230 ℃
증발속도	자료없음
인화성(고체,기체)	자료없음
인화폭발범위	자료없음
증기압	자료없음
용해도	자료없음
증기밀도	자료없음
비중	0.84
분배계수	자료없음
자연발화온도	자료없음
분해온도	자료없음
점도	32 mm2/s (at 40℃)
분자량	자료없음

10. 안정성 및 반응성

가. 화학적 안정성 및 유해 반 - 상온 상압 조건에서 안정함.

응의 가능성 - 가열시 용기가 폭발할 수 있음.
- 일부는 탈 수 있으나 쉽게 점화하지 않음.

나. 피해야 할 조건 - 열, 스파크, 화염 등 점화원.

다. 피해야 할 물질 - 가연성 물질.
- 자극성, 독성 가스.

라. 분해시 생성되는 유해물질 - 자료없음

11. 독성에 관한 정보

가. 가능성이 높은 노출 경로에 관한 정보

○ 호흡기를 통한 흡입

- 호흡기를 통한 흡입 영향 없음

○ 피부접촉

- 피부 접촉 시 영향 없음

○ 눈 접촉

- 눈 접촉 시 영향 없음

○ 입을 통한 접촉

- 입을 통한 섭취 영향 없음

나. 건강 유해성 정보

○ 급성독성

*** 경구 - 분류되지 않음 (ATEmix > 2000 mg/kg)**

- Distillates (petroleum), hydrotreated heavy paraffinic : 랫드(암/수), LD50 > 5,000 mg/kg bw, 사망없음 (유사물질 자료: 64742-56-9) (OECD TG 401, GLP)(ECHA)
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 랫드(수); LD50 = 3100 ㎎/kg bw (OECD TG 401) (ECHA)
- Distillates (petroleum), hydrotreated light paraffinic : 랫드(암/수); LD50 > 5000 ㎎/kg bw, 사망없음 (OECD TG 401, GLP) (유사물질 자료: 64742-56-9) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 랫드(암/수); LD50 > 5000 ㎎/kg bw, 사망없음 (OECD TG 401, GLP) (유사물질 자료: 64742-56-9) (ECHA)
- 2,6-di-tert-butylphenol : 랫드(암/수); LD50 > 5000 mg/kg bw, 사망없음 (OECD TG 401, GLP) (ECHA)
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

*** 경피 - 분류되지 않음 (ATEmix > 2000 mg/kg)**

- Distillates (petroleum), hydrotreated heavy paraffinic : 토끼(암/수), LD50 > 5,000 mg/kg bw, 사망없음(유사물질 자료: 64742-56-9) (OECD TG 402, GLP)(ECHA)
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 토끼(수); LD50 > 5000 ㎎/kg bw (OECD TG 402) (ECHA)
- Distillates (petroleum), hydrotreated light paraffinic : 토끼(암/수); LD50 > 5000 ㎎/kg bw, 사망없음 (OECD TG 402, GLP) (유사물질 자료: 64742-56-9) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 토끼(암/수); LD50 > 5000 ㎎/kg bw, 사망없음 (OECD TG 402, GLP) (유사물질 자료: 64742-56-9) (ECHA)
- 2,6-di-tert-butylphenol : 자료없음

- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

*** 흡입(가스) - 해당없음**

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

*** 흡입(증기) - 분류되지 않음 (ATEmix > 20 mg/L)**

- Distillates (petroleum), hydrotreated heavy paraffinic : 랫드(암/수), LC50 > 5.53 mg/L air /4h, 사망없음(유사물질 자료: MRD-87-102) (OECD TG 403)(ECHA)
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 자료없음
- Distillates (petroleum), hydrotreated light paraffinic : 자료없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 자료없음
- 2,6-di-tert-butylphenol : 자료없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

*** 흡입(분진, 미스트) - 분류되지 않음 (ATEmix > 5 mg/L)**

- Distillates (petroleum), hydrotreated heavy paraffinic : 자료없음
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 자료없음
- Distillates (petroleum), hydrotreated light paraffinic : 랫드(암/수); 에어로졸 흡입; LC50 > 5.53 mg/L air /4h, 사망없음 (OECD TG 403) (유사물질 자료: MRD-87-102) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 랫드(암/수); 에어로졸 흡입; LC50 > 5.53 mg/L air /4h, 사망없음 (OECD TG 403) (유사물질 자료: MRD-87-102) (ECHA)
- 2,6-di-tert-butylphenol : 자료없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

○ 피부부식성 또는 자극성 : 분류되지 않음

- Distillates (petroleum), hydrotreated heavy paraffinic : 토끼를 대상으로 피부부식성/자극성 시험결과, Solvent dewaxed light paraffinic oil 물질은 비자극성 (유사물질 자료 : 64742-56-9) (GLP)(ECHA)
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 토끼를 대상으로 피부부식성/자극성 시험결과, 비자극성 (OECD TG 404, GLP) (ECHA)
- Distillates (petroleum), hydrotreated light paraffinic : 토끼를 대상으로 피부부식성/자극성 시험결과, 비자극성 (GLP) (유사물질 자료: 64742-56-9) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 토끼를 대상으로 피부부식성/자극성 시험결과, 비자극성 (GLP) (유사물질 자료: 64742-56-9) (ECHA)
- 2,6-di-tert-butylphenol : 토끼를 대상으로 피부부식성/자극성 시험결과, 자극성 유발 (OECD TG 404, GLP) (ECHA)
- 2-Propenoic acid ethyl : 자료없음

ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate

○ 심한 눈손상 또는 자극성 : 분류되지 않음

- Distillates (petroleum), hydrotreated heavy paraffinic : 토끼를 대상으로 심한 눈손상/자극성 시험결과, Solvent dewaxed light paraffinic oil 물질은 비자극성 (유사물질 자료: 64742-56-9) (OECD TG 405, GLP)(ECHA)
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 토끼를 대상으로 심한 눈손상/자극성 시험결과, 아연염은 21일까지 눈자극 지속 유발; 부식성 (OECD TG 405, GLP) (ECHA)
- Distillates (petroleum), hydrotreated light paraffinic : 토끼를 대상으로 심한 눈손상/자극성 시험결과, 비자극성 (OECD TG 405, GLP) (유사물질 자료: 64742-56-9) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 토끼를 대상으로 심한 눈손상/자극성 시험결과, 비자극성 (OECD TG 405, GLP) (유사물질 자료: 64742-56-9) (ECHA)
- 2,6-di-tert-butylphenol : 토끼를 대상으로 심한 눈손상/자극성 시험결과, 비자극성 (OECD TG 405, GLP) (ECHA)
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

○ 호흡기과민성 : 분류되지 않음

- Distillates (petroleum), hydrotreated heavy paraffinic : 자료없음
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 자료없음
- Distillates (petroleum), hydrotreated light paraffinic : 자료없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 자료없음
- 2,6-di-tert-butylphenol : 자료없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

○ 피부과민성 : 분류되지 않음

- Distillates (petroleum), hydrotreated heavy : 기니피그를 대상으로 피부과민성 시험결과, Solvent dewaxed light paraffinic oil 물질은 비과민성 (유사물질 자료: 64742-56-9) (OECD TG 406, GLP)(ECHA)

paraffinic

- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 기니피그를 대상으로 피부과민성 시험결과, 비과민성 (OECD TG 406, GLP) (ECHA)
- Distillates (petroleum), hydrotreated light paraffinic : 기니피그를 대상으로 피부과민성 시험결과, 비과민성 (OECD TG 406, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 기니피그를 대상으로 피부과민성 시험결과, 비과민성 (OECD TG 406, GLP) (유사물질 자료: 64742-53-6) (ECHA)
- 2,6-di-tert-butylphenol : 기니피그를 대상으로 피부과민성 시험결과, 비과민성 (OECD TG 406, GLP) (ECHA)
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

○ 발암성 : 분류되지 않음

- Distillates (petroleum), hydrotreated heavy paraffinic : EU CLP 1272/2008 : Carc. 1B (Note L : IP346 방법에 의해 측정된 DMSO extract가 3% 미만인 경우는 제외)
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 고용노동부고시, 산업안전보건법, IARC, OSHA, NTP, ACGIH, EU CLP 1272/2008: 등재되지 않음
- Distillates (petroleum), hydrotreated light paraffinic : EU CLP 1272/2008 : Carc. 1B (Note L : IP346 방법에 의해 측정된 DMSO extract가 3% 미만인 경우는 제외)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : EU CLP 1272/2008 : Carc. 1B (Note L : IP346 방법에 의해 측정된 DMSO extract가 3% 미만인 경우는 제외)
- 2,6-di-tert-butylphenol : 고용노동부고시, 산업안전보건법, IARC, OSHA, NTP, ACGIH, EU CLP 1272/2008: 등재되지 않음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

○ 생식세포변이원성 : 분류되지 않음

- Distillates (petroleum), hydrotreated heavy paraffinic : 시험관 내 중국햄스터난소 세포를 이용한 염색체이상시험결과, 음성 (유사물질 자료 : 64742-53-6) (OECD TG 473, GLP)
  생체 내 마우스를 이용한 소핵시험결과, 음성(유사물질 자료 : SDPO = solvent-extracted, dewaxed paraffin oil) (OECD TG 474)(ECHA)
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 시험관 내 박테리아 복귀돌연변이시험결과, 음성 (OECD TG 471, GLP) (ECHA)
  생체 내 포유류 적혈구를 이용한 소핵시험결과, 음성 (OECD TG 474, GLP) (ECHA)

- Distillates (petroleum), hydrotreated light paraffinic : 시험관 내 박테리아 복귀돌연변이시험 (OECD TG 471)결과, 양성 (유사물질 자료: 64741-50-0) (ECHA), 시험관 내 포유류 염색체이상시험결과, 음성 (OECD TG 473) (유사물질 자료: L-06 Light Hydrotreated Feedstock) (ECHA)
생체 내 포유류 적혈구를 이용한 소핵시험결과, 음성 (OECD TG 474) (유사물질 자료: solvent-extracted, dewaxed paraffin oil) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 시험관 내 박테리아 복귀돌연변이시험 (OECD TG 471)결과, 양성 (유사물질 자료: 64741-50-0) (ECHA), 시험관 내 포유류 염색체이상시험결과, 음성 (OECD TG 473) (유사물질 자료: L-06 Light Hydrotreated Feedstock) (ECHA)
생체 내 포유류 적혈구를 이용한 소핵시험결과, 음성 (OECD TG 474) (유사물질 자료: solvent-extracted, dewaxed paraffin oil) (ECHA)
- 2,6-di-tert-butylphenol : 시험관 내 박테리아 복귀돌연변이시험 (GLP), 염색체이상시험 (OECD TG 473, GLP) 및 포유류세포 유전자돌연변이시험 (OECD TG 476, GLP)결과, 모두 음성 (ECHA)
생체 내 : 자료없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

○ 생식독성 : 분류되지 않음

- Distillates (petroleum), hydrotreated heavy paraffinic : 시험된 농도 어디에서도 생식능에 악영향을 미치지 않았고 신생아독성도 발견되지 않음 (유사물질 자료: Chevron 100 Neutral) (OECD TG 421, GLP)(ECHA)
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 랫드(암/수)를 대상으로 30, 100, 200 mg/kg/day의 농도로 생식/발달독성 시험결과, NOAEL(모동물 및 신생아 독성)=30 mg/kg/day (OECD TG 421, GLP) (ECHA)
- Distillates (petroleum), hydrotreated light paraffinic : 랫드(암/수)를 대상으로 1000 mg/kg/day의 농도로 생식/발달독성 스크리닝시험결과, 어느 농도에서도 생식능에 부정적인 영향을 미치지 않았으며, 신생아 독성 또한 관찰되지 않음 (OECD TG 421, GLP) (유사물질 자료: Chevron 100 Neutral) (ECHA)
랫드를 대상으로 태아발달독성시험결과, 모체의 생식 매개변수 또는 새끼의 생존 또는 발달에 악영향을 미치지 않음 (OECD TG 414) (유사물질 자료: 100 SUS solvent refined base oil) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 랫드(암/수)를 대상으로 1000 mg/kg/day의 농도로 생식/발달독성 스크리닝시험결과, 어느 농도에서도 생식능에 부정적인 영향을 미치지 않았으며, 신생아 독성 또한 관찰되지 않음 (OECD TG 421, GLP) (유사물질 자료: Chevron 100 Neutral) (ECHA)
- 2,6-di-tert-butylphenol : 랫드(암/수)를 대상으로 30, 150, 750 mg/kg bw/day의 농도로 생식독성시험결과, 생식 매개변수에 대해 최고 투여군까지 영향이 관찰되지 않았으며 어느 군에서도 새끼 부검 및 외부 검사에서 기형발생 영향 또한 관찰되지 않음 (OECD Preliminary Reproduction Toxicity Screening Test, GLP) (ECHA)
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

○ 표적장기·전신독성물질(1회노출) : 분류되지 않음

- Distillates (petroleum), hydrotreated heavy : 랫드(암/수)를 대상으로 급성경구독성시험결과, 한마리의 오른쪽 신장에 수신증 관찰되었으나 시험물질 투여와 관련된 것은 아니며, 다른 이상증상은 관찰되지 않음

paraffinic (유사물질 자료: 64742-56-9) (OECD TG 401, GLP)(ECHA)
토끼(암/수)를 대상으로 급성경피독성시험결과, 5000 mg/kg 농도에서 피부 자극이나 임상 독성의 징후를 야기하지 않았으며 육안 부검에서 전신독성의 징후 또한 관찰되지 않음 (유사물질 자료: 64742-56-9) (OECD TG 402, GLP)(ECHA)

- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 랫드(수)를 대상으로 급성경구독성시험결과, 우울, 설사, 사료 섭취 감소. LD50 = 3100 ㎎/kg bw (OECD TG 401) (ECHA)
- Distillates (petroleum), hydrotreated light paraffinic : 랫드(암/수)를 대상으로 급성경구독성시험결과, 독성의 임상 증상 관찰되지 않음. LD50 > 5000 ㎎/kg bw, 사망없음 (OECD TG 401, GLP) (유사물질 자료: 64742-56-9) (ECHA)
토끼(암/수)를 대상으로 급성경피독성시험결과, 뚜렷한 임상 독성의 증후는 관찰되지 않음. LD50 > 5000 ㎎/kg bw, 사망없음 (OECD TG 402, GLP) (유사물질 자료: 64742-56-9) (ECHA)
랫드(암/수)를 대상으로 급성흡입독성시험결과, 노출이 감소되고 관찰 10일째까지 개체 털에 물질 침전. 그룹간 평균 체중에 통계학적으로 유의미한 차이 없음. LC50 > 5.53 mg/L air /4h, 사망없음 (OECD TG 403) (유사물질 자료: MRD-87-102) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 랫드(암/수)를 대상으로 급성경구독성시험결과, 독성의 임상 증상 관찰되지 않음. LD50 > 5000 ㎎/kg bw, 사망없음 (OECD TG 401, GLP) (유사물질 자료: 64742-56-9) (ECHA)
토끼(암/수)를 대상으로 급성경피독성시험결과, 뚜렷한 임상 독성의 증후는 관찰되지 않음. LD50 > 5000 ㎎/kg bw, 사망없음 (OECD TG 402, GLP) (유사물질 자료: 64742-56-9) (ECHA)
랫드(암/수)를 대상으로 급성흡입독성시험결과, 노출이 감소되고 관찰 10일째까지 개체 털에 물질 침전. 그룹간 평균 체중에 통계학적으로 유의미한 차이 없음. LC50 > 5.53 mg/L air /4h, 사망없음 (OECD TG 403) (유사물질 자료: MRD-87-102) (ECHA)
- 2,6-di-tert-butylphenol : 랫드(암/수)를 대상으로 급성경구독성시험결과, 14일의 시험 종료시 사망한 개체 부검시 이상증상 관찰되지 않음. LD50 > 5000 mg/kg bw, 사망없음 (OECD TG 401, GLP) (ECHA)
랫드(암/수)를 대상으로 급성경피독성시험결과, 투여 관련된 육안증상 관찰되지 않음. LD50 > 2000 mg/kg bw, 사망없음 (OECD TG 402, GLP) (ECHA)
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

○ 표적장기·전신독성물질(반복노출) : 분류되지 않음

- Distillates (petroleum), hydrotreated heavy paraffinic : 토끼를 대상으로 28일간 반복경피독성시험결과, 전신독성 영향이 관찰되지 않았으므로 NOAEL(전신독성)=1,000 mg/kg로 설정됨 (유사물질 자료 : 64742-53-6) (OECD TG 410, GLP)(ECHA)
전신 영향이 관찰되지 않음. 폐 내 오일 침착과 관련된 폐 변이에 대한 NOAEL=220 mg/m3, 전신독성이 관찰되지 않았으므로 총체적 NOAEL(전신영향) > 980 mg/m3로 설정됨 (유사물질 자료 : 64742-70-7) (OECD TG 412)(ECHA)
- Trade secret : 자료없음
- Phosphorodithioic acid : 랫드(암/수)를 대상으로 10, 50, 125, 250, 500 mg/kg/day의 농도로 28일간 반복경

O,O-bis(2-ethylhexyl) ester, zinc salt 구투여시험결과, 유의미한 영향 관찰안됨. NOAEC(전신독성)=125 mg/kg bw/day (OECD TG 407, GLP) (ECHA)

- Distillates (petroleum), hydrotreated light paraffinic : 토끼(암/수)를 대상으로 반복경피독성시험결과, 시험된 최고 농도에서 전신 악영향이 관찰되지 않았으므로 NOAEL = 1,000 mg/kg (OECD TG 410, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 토끼(암/수)를 대상으로 반복경피독성시험결과, 시험된 최고 농도에서 전신 악영향이 관찰되지 않았으므로 NOAEL = 1,000 mg/kg (OECD TG 410, GLP) (유사물질 자료: 64742-53-6) (ECHA)
- 2,6-di-tert-butylphenol : 랫드(암/수)를 대상으로 91일간 반복경구투여시험결과, NOAEL=4000 ppm (=수컷 270 mg 2,6-di-tert-butylphenol/k/day 및 암컷 298 mg 2,6-di-tert-butylphenol/kg/day에 상당함) (OECD TG 408, GLP) (ECHA)
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

○ 흡인유해성 : 분류되지 않음

- Distillates (petroleum), hydrotreated heavy paraffinic : 동점도 : 73.9 mm2/s (40°C)(ECHA)이면서 탄화수소류
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 131.6 cSt (40°C) (ECHA)의 동점도를 가지며 탄화수소류 아님
- Distillates (petroleum), hydrotreated light paraffinic : 17.0 mm2/s (40 °C) (ECHA)의 동점도를 갖는 탄화수소류임
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 52.1 mm2/s (40°C) (ECHA)의 동점도를 갖는 탄화수소류
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

12. 환경에 미치는 영향

가. 생태독성

- 급성 수생 환경유해성 : 분류되지 않음 (ATEmix>1mg/L)
- 만성 수생 환경유해성 : 분류되지 않음

○ 급성 수생 환경유해성

어류

- Distillates (petroleum), hydrotreated heavy paraffinic : 96h-LL50(Pimephales promelas) > 100 mg/L (OECD TG 203, GLP)(ECHA)
- Trade secret : 자료없음

- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 96h-LL50(Oncorhynchus mykiss) = 4.4 mg/L (OECD TG 203, GLP) (ECHA)
- Distillates (petroleum), hydrotreated light paraffinic : 96h-LL50(Pimephales promelas) > 100 mg/L (OECD TG 203, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 96h-LL50(Pimephales promelas) > 100 mg/L (OECD TG 203, GLP) (ECHA)
- 2,6-di-tert-butylphenol : 96h-LC50(Pimephales promelas) = 1.4 mg/l (OECD TG 204, GLP) (ECHA)
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

갑각류

- Distillates (petroleum), hydrotreated heavy paraffinic : 48h-EL50(Daphnia magna) > 10,000 mg/L(유사물질 자료: 64742-53-6 또는 64741-97-5) (OECD TG 202)(ECHA)
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 48h-EL50(Daphnia magna) = 75 mg/L (OECD TG 202, GLP) (ECHA)
- Distillates (petroleum), hydrotreated light paraffinic : 48h-EL50(Daphnia magna) > 10000 mg/L (OECD TG 202) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 48h-EL50(Daphnia magna) > 10000 mg/L (OECD TG 202) (ECHA)
- 2,6-di-tert-butylphenol : 48h-EC50(Daphnia magna) = 0.45 mg/l (US EPA TSCA, GLP) (ECHA)
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

조류

- Distillates (petroleum), hydrotreated heavy paraffinic : 자료없음
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 72h-ErL50(Desmodesmus subspicatus) = 410 mg/L (OECD TG 201, GLP) (ECHA)
- Distillates (petroleum), hydrotreated light paraffinic : 자료없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 자료없음
- 2,6-di-tert-butylphenol : 자료없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

○ 만성 수생 환경유해성

어류

- Distillates (petroleum), hydrotreated heavy paraffinic : 자료없음
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 자료없음
- Distillates (petroleum), hydrotreated light paraffinic : 자료없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 자료없음
- 2,6-di-tert-butylphenol : 자료없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

갑각류

- Distillates (petroleum), hydrotreated heavy paraffinic : 21d-NOEL(Daphnia magna)=10 mg/L(OECD TG 211, GLP)(ECHA)
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 28d-NOEC(Daphnia magna) = 0.4 mg/L (OECD TG 211, GLP) (ECHA)
- Distillates (petroleum), hydrotreated light paraffinic : 21d-NOEL(Daphnia magna) = 10 mg/L (OECD TG 211,

GLP) (ECHA)

- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 21d-NOEL(Daphnia magna) = 10 mg/L (OECD TG 211, GLP) (ECHA)
- 2,6-di-tert-butylphenol : 21d-NOEC(Daphnia magna) = 0.035 mg/L (OECD TG 211, GLP) (ECHA)
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

조류

- Distillates (petroleum), hydrotreated heavy paraffinic : 72h-NOErL(Pseudokirchnerella subcapitata) >= 100 mg/L (OECD TG 201) (ECHA)
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 자료없음
- Distillates (petroleum), hydrotreated light paraffinic : 72h-NOErL(Pseudokirchneriella subcapitata) >=100 mg/L (OECD TG 201) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 72h-NOErL(Pseudokirchneriella subcapitata) >=100 mg/L (OECD TG 201) (ECHA)
- 2,6-di-tert-butylphenol : 자료없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

나. 잔류성 및 분해성

○ 잔류성

- Distillates (petroleum), hydrotreated heavy paraffinic : 본 물질은 UVCB이므로 해당없음 (ECHA)
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : log Kow = 3.59 (22 °C, pH: 약 5) (ECHA)
- Distillates (petroleum), hydrotreated light paraffinic : 자료없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : log Kow = 6.13 (실험치) (EPISUITE)
- 2,6-di-tert-butylphenol : log Kow = 4.5 (24 °C) (OECD TG 117, GLP) (ECHA)
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

○ 분해성

- Distillates (petroleum), hydrotreated heavy paraffinic : 자료없음
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 자료없음
- Distillates (petroleum), hydrotreated light paraffinic : 자료없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 자료없음
- 2,6-di-tert-butylphenol : 대기 반감기 : 0.22일 (ECHA)
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

다. 생물농축성

○ 생물농축성

- Distillates (petroleum), hydrotreated heavy paraffinic : 본 물질은 UVCB이므로 해당없음 (ECHA)
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : BCF=448.2 (예측치) (EPISUITE)
- Distillates (petroleum), hydrotreated light paraffinic : 자료없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : BCF = 5147 (예측치) (EPISUITE)
- 2,6-di-tert-butylphenol : BCF=약 660 L/kg (ECHA)
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

○ 생분해성

- Distillates (petroleum), hydrotreated heavy paraffinic : 28일 후 31% 생분해됨; 난분해성(OECD TG 301F) (유사물질

자료: Solvent Neutral 600 Base Oil (MRD-94-981)) (OECD TG 301F, GLP)(ECHA)

- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 27일 후 < 5% 생분해됨; 난분해성 (OECD TG 301D) (ECHA)
- Distillates (petroleum), hydrotreated light paraffinic : 28일 후 31 % 생분해됨; 난분해성 (OECD TG 301F, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 28일 후 31 % 생분해됨; 난분해성 (OECD TG 301F, GLP) (ECHA)
- 2,6-di-tert-butylphenol : 28일 후 >= 12 - <= 24 % 생분해됨; 난분해성 (OECD TG 302C, GLP) (ECHA)
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

라. 토양이동성

- Distillates (petroleum), hydrotreated heavy paraffinic : 자료없음
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : Koc=495900 (EPISUITE)
- Distillates (petroleum), hydrotreated light paraffinic : 자료없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Koc=208800 (EPISUITE)
- 2,6-di-tert-butylphenol : Koc = 6506 (EPISUITE)
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

마. 오존층 유해성

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

바. 기타 유해 영향

- Distillates (petroleum), hydrotreated heavy paraffinic : 자료없음
- Trade secret : 자료없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 자료없음
- Distillates (petroleum), hydrotreated light paraffinic : 자료없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 자료없음
- 2,6-di-tert-butylphenol : 자료없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 자료없음

13. 폐기시 주의사항

가. 폐기방법

- 자료없음

나. 폐기시 주의사항

- 사업장폐기물을 배출하는 사업자(사업장폐기물배출자)는 사업장에서 발생하는 폐기물을 스스로 처리하거나, 폐기물 처리업자, 다른 사람의 폐기물을 재생처리 하는 자, 폐기물 처리시설을 설치 운영하는 자에게 위임하여 처리하여야 함.
- 폐기물관리법상 규정을 준수할 것.

14. 운송에 필요한 정보

가. 유엔번호(UN No.)

- 해당없음

나. 적정선적명

- 해당없음

다. 운송에서의 위험성 등급

- 해당없음

라. 용기등급

- 해당없음

마. 해양오염물질

- 해당없음

바. 사용자가 운송 또는 운송수단에 관련해 알 필요가 있거나 필요한 특별한 안전대책

- 화재시 비상조치의 종류 : 해당없음
- 유출시 비상조치의 종류 : 해당없음
- 육상/해상/항공 운송규제사항(ADR/RID, AND, IMDG, ICAO/IATA)에 의한 분류 및 규제 : 해당없음

15. 법적 규제현황

가. 산업안전보건법에 의한 규제

- Distillates (petroleum), hydrotreated heavy paraffinic : 노출기준설정물질, 작업환경측정대상 유해인자, 특수건강진단대상 유해인자
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 관리대상유해물질
- Distillates (petroleum), hydrotreated light paraffinic : 노출기준설정물질, 작업환경측정대상 유해인자, 특수건강진단대상 유해인자
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 노출기준설정물질, 작업환경측정대상 유해인자, 특수건강진단대상 유해인자
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

나. 화학물질 등록 및 평가 등에 관한 법률과 화학물질관리법에 의한 규제 - PRODUCT : 해당없음

○ 화학물질 관리법

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 배출량조사대상물질
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

○ 화학물질의 등록 및 평가 등에 관한 법률

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음

- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

다. 위험물안전관리법에 의한 규제 - PRODUCT : 제4류 인화성액체 제4석유류, 6000L

- Distillates (petroleum), hydrotreated heavy paraffinic : 위험물
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 위험물
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

라. 폐기물관리법에 의한 규제 - PRODUCT :

마. 기타 국내 및 외국법에 의한 규제

○ 고압가스안전관리법

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

○ 잔류성유기오염물질관리법

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

○ EU 규제정보

EU 분류정보(확정분류결과)

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

EU 분류정보(위험문구)

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음

- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

EU 분류정보(안전문구)

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

REACH 제한물질

- Distillates (petroleum), hydrotreated heavy paraffinic : REACH 제한물질
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : REACH 제한물질
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : REACH 제한물질
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

REACH 허가대상물질

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

REACH SVHC

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

EU PBT

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

○ 미국 규제정보

미국관리정보(OSHA 규정)

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

미국관리정보(CERCLA 규정)

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

미국관리정보(EPCRA 302 규정)

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

미국관리정보(EPCRA 304 규정)

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

미국관리정보(EPCRA 313 규정)

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

○ 국제협약 정보

로테르담 협약물질

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 해당없음

- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

스톡홀름 협약물질

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

몬트리올 의정서물질

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

○ **National Inventory**

유럽 기존화학물질 Inventory(EINECS)

- Distillates (petroleum), hydrotreated heavy paraffinic : 유럽 EINECS 기존화학물질
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 유럽 EINECS 기존화학물질
- Distillates (petroleum), hydrotreated light paraffinic : 유럽 EINECS 기존화학물질
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 유럽 EINECS 기존화학물질
- 2,6-di-tert-butylphenol : 유럽 EINECS 기존화학물질
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

유럽 신고화학물질 Inventory(ELINCS)

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 해당없음
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- 2,6-di-tert-butylphenol : 해당없음
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

미국 기존화학물질 Inventory(TSCA)

- Distillates (petroleum), hydrotreated heavy paraffinic : 미국 TSCA 기존화학물질
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 미국 TSCA 기존화학물질
- Distillates (petroleum), hydrotreated light paraffinic : 미국 TSCA 기존화학물질
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 미국 TSCA 기존화학물질

- 2,6-di-tert-butylphenol : 미국 TSCA 기존화학물질
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

중국 기존화학물질 Inventory(IECSC)

- Distillates (petroleum), hydrotreated heavy paraffinic : 중국 기존화학물질
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 중국 기존화학물질
- Distillates (petroleum), hydrotreated light paraffinic : 중국 기존화학물질
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 중국 기존화학물질
- 2,6-di-tert-butylphenol : 중국 기존화학물질
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

일본 기존화학물질 Inventory(ENCS)

- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- Trade secret : 해당없음
- Phosphorodithioic acid O,O-bis(2-ethylhexyl) ester, zinc salt : 일본 ENCS 기존화학물질
- Distillates (petroleum), hydrotreated light paraffinic : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 일본 ENCS 기존화학물질
- 2,6-di-tert-butylphenol : 일본 ENCS 기존화학물질
- 2-Propenoic acid ethyl ester polymer with alkyl(C=1~7) alkyl(C=1~11) alkenoate : 해당없음

16. 기타 참고사항

가. 자료의 출처

- 본 MSDS는 내부 기술데이터 및 OECD eChemPortal, ECHA, NITE, TOXNET, IPCS, KOSHA 등을 근거로 작성하였음.

나. 최초작성일자

- 2012-11-30

다. 개정횟수 및 최종 개정일자

○ 개정횟수

- 5

○ 최종 개정일자

- 2024-01-31

○ 최종개정이력

- MSDS 15번 항의 산안법 규제 정보 개정

라. 기타

- 본 MSDS는 산업안전보건법 제110조 및 고용노동부고시 제2023-9호(화학물질의 분류·표시 및 물질안전보건자료에 관한 기준)에 근거하여 국내 관련 규제 법규 현황 등을 고려하여 기술함. 본 MSDS에 포함된 정보는 당사의 최신 지식 및 경험을 바탕으로 제품안전취급 관련 정보에 대해서만 기술한 것이며, 본 MSDS는 제품의 기술자료(TDS), 시험성적서(CoA) 및 규격합의서로(Specification agreement) 사용될 수 없음. 본 제품의 사용자는 현행 법률이 정한 규정을 확인하여 준수할 책무가 있음.