SDS(Safety Data Sheet)

Product	MPA 300 SAE 40		
MSDS Number	List No.	Issuing date	Last revised date
-	LB3051	2012-11-30	2026-02-23

1. IDENTIFICATION

1) Product name

MPA 300 SAE 40

2) Recommended use of the chemical and restriction on use

- Recommended use Lubricants
- Restrictions on use Do not use for any other purpose.

3) Details of the supplier of the safety data sheet

○ **Manufacturer**

- Company name GS Caltex Corporation
- Address GS Tower, 508, Nonhyeon-ro, Gangnam-gu, Seoul, Korea
- Emergency telephone number +82-1899-5145

2. HAZARDS IDENTIFICATION

1) Classification of the product

- Not applicable

2) Label elements

○ **Hazard pictograms**

- Not applicable

○ **Signal word**

- Not applicable

○ **Hazard statements**

- Not applicable

○ **Precautionary statements**

1) Prevention

- Not applicable

2) Response

- Not applicable

3) Storage

- Not applicable

4) Disposal

- Not applicable

3) Other hazards

○ **Product NFPA Level**

(※ 0-Lack, 1-Low, 2-Moderate, 3-High, 4-Very High)

Product name	Health	Flammable	Reaction
MPA 300 SAE 40	0	1	0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	Trade names and Synonyms	CAS No.	EC No.	Contain Ratio(%)
Distillates (petroleum), hydrotreated heavy paraffinic	Emulsifiable oil	64742-54-7	265-157-1	85 ~ 95
Trade secret				5 ~ 15
Distillates (petroleum), hydrotreated light paraffinic	Mineral oil, petroleum distillates, hydrotreated (severe) light paraffinic	64742-55-8	265-158-7	1.0 ~ 1.5
Distillates (petroleum), solvent-dewaxed heavy paraffinic	Adriatic spindle oil; Mineral oil, petroleum distillates, solvent dewaxed heavy paraffinic (severe solvent-refining and/or hydrotreatment) ; Solvent dewaxed heavy paraffinic distillate	64742-65-0	265-169-7	1.0 ~ 1.5
Distillates (petroleum), solvent-dewaxed light paraffinic	Solventdewaxed light paraffinic distillate (petroleum)	64742-56-9	265-159-2	1.0 ~ 1.5
Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts	Phosphorodithioic acid, O,O-bis(1,3-dimethylbutyl and isopropyl)esters, zinc salts	84605-29-8	283-392-8	0.1 ~ 1.0
Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized				0.1 ~ 0.6
Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased				0.1 ~ 0.6
2,6-di-tert-butylphenol	Isonox 103	128-39-2	204-884-0	0.01 ~ 0.1
Dodecylphenol, branched	Phenol, dodecyl-, branched	121158-58-5	310-154-3	0.01 ~ 0.1

※ Except for the above components, all components are not listed as they do not meet the criteria for hazardous risk classification in Article 104 (Classification of Hazardous Factors) of Regulated Acts and Occupational Safety and Health Act.

※ This product has less than 3% DMSO extract as measured by the IP346 method.

4. FIRST AID MEASURES

1) Eye contact	- In case of contact with material, immediately flush eyes with running water for at least 15 minutes. - If eye irritation persists: Get medical advice/attention.
2) Skin contact	- In case of contact with material, immediately flush skin with running water for at least 15 minutes. - Remove and isolate contaminated clothing and shoes. - Launder contaminated clothing and shoes before re-use. - If skin irritation occurs: Get medical advice/attention.
3) Inhalation	- Move victim to fresh air. - Give artificial respiration if victim is not breathing. - Administer oxygen if breathing is difficult. - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
4) Ingestion	- If unconscious but breathing, never give anything by mouth - If swallowed do not induce vomiting, seek medical advice immediat. - Get immediate medical advice/attention. - Rinse mouth.
5) Indication of any immediate medical attention and special treatment needed	- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

5. FIRE FIGHTING MEASURES

1) Suitable (and unsuitable) extinguishing media	- Small fire: Dry sand, dry chemical, alcohol-resistant foam, water spray, regular foam, CO2 (Suitable extinguishing media) - Large fire: Water spray/fog, regular foam (Suitable extinguishing media) - High-pressure water (Unsuitable extinguishing media)
2) Special hazards arising from the substance or mixture	- May be ignited by heat, sparks or flames. - Fire may produce irritating and/or toxic gases. - May cause toxic effects if inhaled.
3) Special protective equipment and precautions for firefighters	- Substance may be transported hot. - Runoff may cause pollution. - Contact may cause burns to skin and eyes. - Dike fire-control water for later disposal; do not scatter the material. - Move containers from fire area if you can do it without risk. - Fire involving Tanks: Cool containers with flooding quantities of water until well after fire is out. - Fire involving Tanks: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. - Fire involving Tanks: ALWAYS stay away from tanks engulfed in fire.

6. ACCIDENTAL RELEASE MEASURES

1) Health considerations and protective equipment

- Do not touch or walk through spilled material.
- ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).
- Ventilate the contaminated area.
- Stop leak if you can do it without risk.
- Prevent dust cloud.
- Please note that materials and conditions to be avoided.

2) Environmental precautions

- Prevent entry into waterways, sewers, basements or confined areas.

3) Methods and material for containment and cleaning up

- Small Spill: Flush area with flooding quantities of water.
- Large Spill: Dike far ahead of liquid spill for later disposal.
- With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.
- Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry.
- Small Spill: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

7. HANDLING AND STORAGE

1) Precautions for safe handling

- Wash ... thoroughly after handling.
- Please note that materials and conditions to be avoided.
- Handling refer to engineering control/personal protection section.
- Cuation: High temperature

2) Conditions for safe storage (including any incompatibilities)

- Store in a dry place. Store in a closed container.
- Please note that materials and conditions to be avoided.
- Store in a closed container.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

1) Control parameters

Chemical name	Exposure limits	ACGIH TLV	OSHA PEL	Biological limit values(BLV)
Distillates (petroleum), hydrotreated heavy paraffinic	TWA : 0.8 mg/m3	TWA 5 mg/m3, Inhalable particulate matter(Mineral oil, Pure, highly and severely refined)	Not available	Not available
Trade secret	Not available	Not available	Not available	Not available

Distillates (petroleum), hydrotreated light paraffinic	TWA : 0.8 mg/m3	TWA 5 mg/m3, Inhalable particulate matter(Mineral oil, Pure, highly and severely refined)	Not available	Not available
Distillates (petroleum), solvent-dewaxed heavy paraffinic	TWA : 0.8 mg/m3	TWA 5 mg/m3, Inhalable particulate matter(Mineral oil, Pure, highly and severely refined)	Not available	Not available
Distillates (petroleum), solvent-dewaxed light paraffinic	TWA : 0.8 mg/m3	TWA 5 mg/m3, Inhalable particulate matter(Mineral oil, Pure, highly and severely refined)	Not available	Not available
Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts	Not available	Not available	Not available	Not available
Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized	Not available	Not available	Not available	Not available
Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased	Not available	Not available	Not available	Not available
2,6-di-tert-butylphenol	Not available	Not available	Not available	Not available
Dodecylphenol, branched	Not available	Not available	Not available	Not available

2) Appropriate engineering controls

- Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.
- Adjust the ventilation rate to suit the condition.

3) Personal protection equipment

○ **Respiratory protection**
- Wear a adequate respiratory protection equipment with certificate by considering physicochemical properties of exposured particulate material.
- In case exposured to particulate material, the respiratory protective equipments as follow are recommended. - facepiece filtering respirator or air-putifying respirator, high-efficiency particulate air(HEPA) filter media or resporator equipped with power
- In lack of oxigan(<19.6%), wear the supplied-air respiratior or self-contained breathing apparatus.
- Consider the warning characteristics beforehand.

○ **Eye protection**
- Wear breathable safety goggles to protect from material causing eye irritation or other disorder.
- An eye wash unit and safety shower station should be available nearby work place.

- In case of direct exposure or potential exposure to the substance, wear safety glasses for chemicals approved in the country.

○ **Hand protection**

- Wear appropriate protective gloves by considering physical and chemical properties of chemicals.
- In case of direct exposure or potential exposure to the substance, wear safety gloves for chemicals approved in the country.

○ **Body protection**

- Wear appropriate protective clothing by considering physical and chemical properties of chemicals.
- In case of direct exposure or potential exposure to the substance, wear protective clothing for chemicals approved in the country.

9. PHYSICAL AND CHEMICAL PROPERTIES

Item	Input Value
Apperance	Liquid
Color	No Data
Smell	a specific smell of hydrocarbon
Smell Threshold	No Data
pH (Numerical value)	No Data
Melting/Freezing Point	No Data
Boilling Point	No Data
Flash Point	273 ℃
Evaporating Rate	No Data
Flammability(Solid, Gas)	No Data
Explosibility Range	No Data
Steam Pressure	No Data
Solubility	No Data
Vapor Density	No Data
Specific Gravity	0.87
Distribution Coefficient	No Data
SelfIgnition Temperature	No Data
Pyrolysis Temperature	No Data
Viscosity	14.5 mm2/s (at 100℃)
Molecular Weight	No Data

10. STABILITY AND REACTIVITY

1) Chemical Stability and hazardous reactivity
- Stable under normal temperatures and pressures.
- Containers may explode when heated.
- Some may burn but none ignite readily.

2) Conditions to avoid
- Ignition source(heat, spark, flame)

3) Incompatible materials
- Combustibles
- Irritating and/or toxic gas

4) Hazardous decomposition products
- Not available

11. TOXICOLOGICAL INFORMATION

1) Information on the likely routes of exposures

○ **Inhalation**

- No inhalation effects through respiratory system.

○ **Skin contact**

- No effect on skin contact.

○ **Eye contact**

- No effect on eye contact.

○ **Ingestion**

- No ingestion effect through mouth.

2) Health hazard information

○ **Acute toxicity**

*** Oral - Not classified (ATEmix > 2000 mg/kg)**

- Distillates (petroleum), hydrotreated heavy paraffinic : rat(male/female), LD50 > 5,000 mg/kg bw, no deaths (read-across: 64742-56-9) (OECD TG 401, GLP) (ECHA)
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : rat(male/female); LD50 > 5000 mg/kg bw, no deaths (OECD TG 401, GLP) (read across: 64742-56-9) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rat(male/female); LD50 > 5000 mg/kg bw, no deaths (OECD TG 401, GLP) (read across: 64742-56-9) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : rat; LD50 > 5000 mg/kg bw, no deaths (OECD TG 401, GLP) (ECHA)
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : rat(male/female), LD50 = 4468 mg/kg bw (OECD TG 401) (ECHA)
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : rat(male/female); LD50 > 5000 mg/kg bw, no deaths (OECD TG 401, GLP) (ECHA)
- Dodecylphenol, branched : LD50=2100 mg/kg bw(rat, female/male), For the doses of 1260, 1580, 2000, 2510, 3160 and 3980 mg/kg, the number of deaths were 1, 2, 2, 4, 4 and 4, respectively, out of 5 animals per group.(OECD TG 401)(ECHA)

*** Dermal - Not classified (ATEmix > 2000 mg/kg)**

- Distillates (petroleum), hydrotreated heavy paraffinic : rabbit(male/female), LD50 > 5,000 mg/kg bw, no deaths (read-across: 64742-56-9) (OECD TG 402, GLP) (ECHA)

- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : rabbit(male/female); LD50 > 5000 ㎎/㎏ bw, no deaths (OECD TG 402, GLP) (read across: 64742-56-9) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rabbit(male/female); LD50 > 5000 ㎎/㎏ bw, no deaths (OECD TG 402, GLP) (read across: 64742-56-9) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : rabbit; LD50 > 5000 mg/kg bw, no deaths (OECD TG 402, GLP) (ECHA)
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : rat(male/female), LD50 > 2002 mg/kg bw (OECD TG 402) (ECHA)
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : Not available
- Dodecylphenol, branched : rabbit(male); LD50=ca. 15000 mg/kg bw; No deaths (OECD TG 402) (ECHA)

*** Inhalation(Gas) - Not applicable**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not applicable
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : Not applicable
- Dodecylphenol, branched : Not applicable

*** Inhalation(Vapour) - Not classified (ATEmix > 20 mg/L)**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not available
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : rat(male/female), inhalation: vapour, LC50 > 2.3 mg/L 4 hr, no death (OECD TG 403) (ECHA)
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : Not available
- Dodecylphenol, branched : Not available

*** Inhalation(Dust, mist) - Not classified (ATEmix > 5 mg/L)**

- Distillates (petroleum), hydrotreated heavy paraffinic : inhalation: aerosol; rat(male/female); 4h-LC50 > 5.53 mg/L. No deaths (read-across: MRD-87-102) (OECD TG 403)(ECHA)
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : rat(male/female); inhalation: aerosol; LC50 > 5.53 mg/L air /4h, no deaths (OECD TG 403) (read across: MRD-87-102) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rat(male/female); inhalation: aerosol; LC50 > 5.53 mg/L air /4h, no deaths (OECD TG 403) (read across: MRD-87-102) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : rat; inhalation: aerosol; LC50 > 5.53 mg/L air/4h, no

deaths (OECD TG 403) (read across : MRD-87-102) (ECHA)

- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not available
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : Not available
- Dodecylphenol, branched : Not available

○ **Skin corrosion/Irritation : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic	:	Solvent dewaxed light paraffinic oil is not considered to be irritating to the skin of rabbits. (read across : 64742-56-9) (GLP) (ECHA)
- Trade secret	:	Not available
- Distillates (petroleum), hydrotreated light paraffinic	:	rabbit; not irritating (GLP) (read across: 64742-56-9) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic	:	rabbit; not irritating (GLP) (read across: 64742-56-9) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic	:	rabbit; not irritating (GLP) (ECHA)
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts	:	rabbit; irritant (OECD TG 404, GLP) (ECHA)
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized	:	Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased	:	Not available
- 2,6-di-tert-butylphenol	:	rabbit; irritating (OECD TG 404, GLP) (ECHA)
- Dodecylphenol, branched	:	Rabbit; Severe skin irritant (PDII=6.2), erythema and edema formation for 24, 48 and 72 hours was calculated to be 3.5 (OECD TG 404, GLP)(ECHA)

○ **Serious eye damage/irritation : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic	:	Solvent dewaxed light paraffinic oil is not considered to be an ocular irritant. (read-aross: 64742-56-9) (equivalent or similar to guideline OECD TG 405, GLP) (ECHA)
- Trade secret	:	Not available
- Distillates (petroleum), hydrotreated light paraffinic	:	rabbit; not irritating (OECD TG 405, GLP) (read across: 64742-56-9) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic	:	rabbit; not irritating (OECD TG 405, GLP) (read across: 64742-56-9) (ECHA)

- Distillates (petroleum), solvent-dewaxed light paraffinic : rabbit; not irritating (GLP) (ECHA)
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : rabbit; Under the conditions of this study, the test material caused ocular irritation that persisted through Day 21. ; irreversible effects on the eye (ECHA)
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : rabbit; not irritating (OECD TG 405, GLP) (ECHA)
- Dodecylphenol, branched : Rabbit; not irritating (OECD TG 405, GLP)(ECHA)

○ **Respiratory sensitization : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not available
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not available
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : Not available
- Dodecylphenol, branched : Not available

○ **Skin sensitization : Not classified**

- Distillates (petroleum), : Under the conditions of the test, Solvent dewaxed light paraffinic oil is

hydrotreated heavy paraffinic		considered non-sensitizing for guinea-pigs. (read-aross: 64742-56-9) (OECD TG 406, GLP) (ECHA)
- Trade secret	:	Not available
- Distillates (petroleum), hydrotreated light paraffinic	:	guinea pig; not sensitising (OECD TG 406, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic	:	guinea pig; not sensitising (OECD TG 406, GLP) (read across: 64742-53-6) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic	:	guinea pig; not sensitising (OECD TG 406, GLP) (ECHA)
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts	:	guinea pig; not sensitising (OECD TG 406, GLP) (ECHA)
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized	:	Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased	:	Not available
- 2,6-di-tert-butylphenol	:	guinea pig; not sensitising (OECD TG 406, GLP) (ECHA)
- Dodecylphenol, branched	:	Not sensitising (Guinea Pig)(OECD TG 406, GLP)(ECHA)

○ **Carcinogenicity : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic	:	EU CLP 1272/2008 : Carc. 1B (Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346)
- Trade secret	:	Not available
- Distillates (petroleum), hydrotreated light paraffinic	:	EU CLP 1272/2008 : Carc. 1B (Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic	:	EU CLP 1272/2008 : Carc. 1B (Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346)
- Distillates (petroleum), solvent-dewaxed light paraffinic	:	EU CLP 1272/2008 : Carc. 1B (Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346)
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts	:	IARC, EU CLP 1272/2008, OSHA, ACGIH, US EPA IRIS, NTP : not listed
- Alkylcarbomonocyclic alcohol, alkaline earth	:	Not available

metal salt, sulfurized

- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : IARC, EU CLP 1272/2008, OSHA, ACGIH, US EPA IRIS, NTP : not listed
- Dodecylphenol, branched : IARC, EU CLP 1272/2008, OSHA, ACGIH, US EPA IRIS, NTP : not listed

○ **Germ cell mutagenicity : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : In vitro bacterial reverse mutation assay: negative (equivalent or similar to guideline OECD TG 471) (ECHA)
  In vitro mammalian chromosome aberration test: negative (read-aross : 64742-53-6) (equivalent or similar to guideline OECD TG 473, GLP) (ECHA)
  In vivo micronucleus assay : negative (read-across : 64741-62-4, 64741-53-3) (equivalent or similar to guideline OECD TG 474) (ECHA)
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : In vitro Bacterial Reverse Mutation Assay : positive (OECD TG 471) (read across: 64741-50-0) (ECHA), In Vitro Mammalian Chromosome Aberration Test : negative (OECD TG 473) (read across: L-06 Light Hydrotreated Feedstock) (ECHA)
  In vivo Mammalian Erythrocyte Micronucleus Test : negative (OECD TG 474) (read across: solvent-extracted, dewaxed paraffin oil) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : In vitro Bacterial Reverse Mutation Assay : positive (OECD TG 471) (read across: 64741-50-0) (ECHA), In Vitro Mammalian Chromosome Aberration Test : negative (OECD TG 473) (read across: L-06 Light Hydrotreated Feedstock) (ECHA)
  In vivo Mammalian Erythrocyte Micronucleus Test : negative (OECD TG 474) (read across: solvent-extracted, dewaxed paraffin oil) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : in vitro; Mammalian Chromosome Aberration Test : Negative (OECD TG 473, GLP) (ECHA)
  in vitro; Mammalian Cell Gene Mutation Test : Positive (OECD TG 476) (ECHA)
  in vitro; Bacterial Reverse Mutation Assay : Positive (OECD TG 471, GLP) (ECHA)
  in vivo; Mammalian Erythrocyte Micronucleus Test : Negative (OECD TG 474) (ECHA)
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : In vitro Bacterial reverse mutation test: negative(OECD TG 471) (ECHA)
  In vivo Mammalian Erythrocyte Micronucleus Test: negative (OECD TG 474, GLP) (ECHA)
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : In vitro bacterial reverse mutation assay : negative (GLP) (ECHA), In vitro In Vitro

Mammalian Chromosome Aberration Test : negative (OECD TG 473, GLP) (ECHA), In Vitro Mammalian Cell Gene Mutation Test : negative (OECD TG 476, GLP) (ECHA)
in vivo : Not available

- Dodecylphenol, branched : In vitro; negative (Bacterial Reverse Mutation Assay; OECD TG 471, GLP)(ECHA), In vitro; negative (Mammalian Cell Gene Mutation Test; OECD TG 476)(ECHA) In vivo; negative (Mammalian Erythrocyte Micronucleus Test; OECD TG 474) (ECHA)

○ **Reproductive toxicity : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : rat; screening for reproductive / developmental toxicity; Reproductive performance was not adversely affected at any dose level evaluated. There were no neonatal toxicity observed at any dose level. There were no differences in terms of systemic toxicity between either of the dose formulations. (read-aross : Chevron 100 Neutral) (OECD TG 421, GLP) (ECHA)
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : rat(male/female); 1000 mg/kg/day; Reproduction / Developmental Toxicity Screening Test; Reproductive performance was not adversely affected at any dose level evaluated. There were no neonatal toxicity observed at any dose level. There were no differences in terms of systemic toxicity between either of the dose formulations. (OECD TG 421, GLP) (read across: Chevron 100 Neutral) (ECHA)
  rat; Dermal administration of the base oil did not adversely affect maternal reproductive performance, nor did it affect offspring survival or development. (OECD TG 414) (read across: 100 SUS solvent refined base oil) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rat(male/female); 1000 mg/kg/day; Reproduction / Developmental Toxicity Screening Test; Reproductive performance was not adversely affected at any dose level evaluated. There were no neonatal toxicity observed at any dose level. There were no differences in terms of systemic toxicity between either of the dose formulations. (OECD TG 421, GLP) (read across: Chevron 100 Neutral) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : rat; Does not adversely affect reproductive function (OECD TG 421, GLP)
  rat; Not toxic to offspring and parents (OECD TG 414) (ECHA)
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : EC 283-392-8 has not been tested for reproduction toxicity, however experimental data on structurally related substances EC 270-608-0 was available and suitable for read-across. Based on this study, NOAEL(reproductive fertility, neonatal toxicity)=160mg/kg/day. (read-across: 68457-79-4) (OECD TG 422) (ECHA)
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : rat(male/female); 30, 150, 750 mg/kg bw/day (P m & f); With respect to the

reproduction parameters, no effects were noted up to and including 750 mg/kg body weight/day. No teratogenic effect was observed at external examination and necropsy of the pups in any group. (OECD Preliminary Reproduction Toxicity Screening Test, GLP) (ECHA)

- Dodecylphenol, branched : EU CLP 1272/2008 : Repr. 1B
  As a result of oral toxicity study with dosing of 0, 1.5, 15, 75 mg/kg/day in rats(F/M), reduced implantation site, increased estrus cycle length and decreased mean epididymal sperm concentration were observed.NOAEL(Reproduction toxicity)=15mg/kg bw/day (OECD TG 416, GLP) (ECHA)
  100 mg/kg/day was considered to be the NOEL for maternal toxicity, embryotoxicity, fetotoxicity and teratogenicity. At 300 mg/kg/day the test material was maternally toxic, embryotoxic and fetotoxic. An increase in malformation rate was seen at the high dose level however, it is not clear if this was a direct effect or secondary to maternal toxicity. (OECD TG 414, GLP)(ECHA)

○ **Specific target organ toxicity (single exposure) : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : Hydronephrosis of the right kidney was observed in one rat but was not considered treatment-related by the study authors. No other abnormalities were observed in any male or female rats. (read-across: 64742-56-9) (OECD TG 401, GLP)(ECHA)
  Dermal administration of API 78-9 at 5000 mg/kg did not result in any dermal irritation or signs of clinical toxicity. Gross necroscopy did not reveal any signs of systemic toxicity at the 5000 mg/kg dose level. (read-across: 64742-56-9) (OECD TG 402, GLP)(ECHA)
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : oral; rat(male/female); No clinical signs of toxicity observed in either male or female rats. LD50 > 5000 ㎎/kg bw, no deaths (OECD TG 401, GLP) (read across: 64742-56-9) (ECHA)
  dermal; rabbit(male/female); No visible signs of clinical toxicity were observed in male and female rabbits dosed with API 78-9 at 5000 mg/kg. LD50 > 5000 ㎎/kg bw, no deaths (OECD TG 402, GLP) (read across: 64742-56-9) (ECHA)
  inhalation: aerosol; rat(male/female); The test material which was deposited on the animal fur during exposure diminished by observation Day 10. No mortality in either the control or exposed group was reported. There were no statistically significant differences in mean body weight between groups. LC50 > 5.53 mg/L air /4h, no deaths (OECD TG 403) (read across: MRD-87-102) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : oral; rat(male/female); No clinical signs of toxicity observed in either male or female rats. LD50 > 5000 ㎎/kg bw, no deaths (OECD TG 401, GLP) (read across: 64742-56-9) (ECHA)
  dermal; rabbit(male/female); No visible signs of clinical toxicity were observed in male and female rabbits dosed with API 78-9 at 5000 mg/kg. LD50 > 5000 ㎎/kg bw, no deaths (OECD TG 402, GLP) (read across: 64742-56-9) (ECHA)
  inhalation: aerosol; rat(male/female); The test material which was deposited on the animal fur during exposure diminished by observation Day 10. No mortality in either the control or exposed group was reported. There were no statistically significant differences in mean body weight between groups. LC50 > 5.53 mg/L

air /4h, no deaths (OECD TG 403) (read across: MRD-87-102) (ECHA)

- Distillates (petroleum), solvent-dewaxed light paraffinic : oral; rat; No clinical signs of toxicity observed in either male or female rats. LD50 > 5000 mg/kg bw, no deaths (OECD TG 401, GLP) (ECHA)
  dermal; rabbit; No visible signs of clinical toxicity were observed. LD50 > 5000 mg/kg bw, no deaths (OECD TG 402, GLP) (ECHA)
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Dermal; rat(male/female), LD50 > 2002 mg/kg bw; Prostration in one animal. No other behavioral anomalies. (OECD TG 402) (ECHA)
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : oral; rat(male/female); No abnormalities were noted at necropsy of animals killed at the end of the study (day 14). LD50 > 5000 mg/kg bw, no deaths (OECD TG 401, GLP) (ECHA)
  dermal; rat(male/female); No treatment-related macroscopic findings were observed. LD50 > 2000 mg/kg bw, no deaths (OECD TG 402, GLP) (ECHA)
- Dodecylphenol, branched : Not available

○ **Specific target organ toxicity (repeated exposure) : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : Dermal; The systemic toxicity NOAEL for this 28-day dermal toxicity study in the rabbit is 1,000 mg/kg, based on the lack of adverse systemic effects observed at this dose level. (read-aross : 64742-53-6) (OECD TG 410, GLP) (ECHA)
  Inhalation; rat; 4 weeks; 0, 50, 220 or 1000 mg/m3; No systemic effects were observed. The NOAEL for lung changes associated with oil deposition in the lungs was 220 mg/m3. As no systemic toxicity was observed, the overall NOAEL for systemic effects was > 980 mg/m3. (equivalent or similar to guideline OECD TG 412) (ECHA)
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : rabbit(male/female); dermal; The systemic toxicity NOAEL for this 28-day dermal toxicity study in the rabbit is 1,000 mg/kg, based on the lack of adverse systemic effects observed at this dose level. (OECD TG 410, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rabbit(male/female); dermal; The systemic toxicity NOAEL for this 28-day dermal toxicity study in the rabbit is 1,000 mg/kg, based on the lack of adverse systemic effects observed at this dose level. (OECD TG 410, GLP) (read across: 64742-53-6) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : oral; rat(male/female); No clinical signs of toxicity observed in either male or female rats. LD50 > 5000 ㎎/kg bw, no deaths (OECD TG 401, GLP) (read across: 64742-56-9) (ECHA)
  dermal; rabbit(male/female); No visible signs of clinical toxicity were observed in male and female rabbits dosed with API 78-9 at 5000 mg/kg. LD50 > 5000 ㎎/kg bw, no deaths (OECD TG 402, GLP) (read across: 64742-56-9) (ECHA)
  inhalation: aerosol; rat(male/female); The test material which was deposited on

the animal fur during exposure diminished by observation Day 10. No mortality in either the control or exposed group was reported. There were no statistically significant differences in mean body weight between groups. LC50 > 5.53 mg/L air /4h, no deaths (OECD TG 403) (read across: MRD-87-102) (ECHA)

- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : rat(male/female); oral; 0, 10, 40, or 160 mg/kg/day; The oral repeat dose toxicity of an analog substance was evaluated with rats at doses as high as 160 mg/kg/day for up to 52 days. Substance-related toxicity was limited to morbundity, adverse clinical signs, and epithelial hyperplasia, hyperkeratosis, and inflammation of the stomach. NOAEL(systemic toxicity)=160 mg/kg/day (read across: EC 270-608-0) (OECD TG 422, GLP) (ECHA)
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : oral; rat(male/female); 91 days; Based on these findings the no observed adverse effect level (NOAEL) was considered to be 4000 ppm for both males and females equating to 270 mg 2,6-di-tert-butylphenol/k/day in males and 298 mg 2,6-di-tert-butylphenol/kg/day for females. (OECD TG 408, GLP) (ECHA)
- Dodecylphenol, branched : Rat(F/M); oral; 90 days; 0, 50, 100, 150, 200 mg/kg/day; NOAEL=100 mg/kg bw/day(based on histological effects) (OECD TG 408, GLP)(ECHA)

○ **Aspiration hazard : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : Viscosity: 73.9 mm2/s (40°C)(ECHA) & hydrocarbons
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : 17.0 mm2/s (40 °C) (ECHA) & hydrocarbons
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 52.1 mm2/s (40°C) & hydrocarbons
- Distillates (petroleum), solvent-dewaxed light paraffinic : 8.4 mm2/s (40°C) (ECHA) & hydrocarbons
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Viscosity: 407.6 cSt(40 °C; ASTM D445-97; 2009)(ECHA) & not hydrocarbons
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, : Not available

carbonates, alkaline earth
metal salts, overbased

- 2,6-di-tert-butylphenol : Not applicable
- Dodecylphenol, branched : Viscosity : 450cSt(40 °C; ASTM D 445)(ECHA) & not hydrocarbons

12. ECOLOGICAL INFORMATION

1) Ecotoxicity

- Acute toxicity : Not classfied (ATEmix>1mg/L)
- Chronic toxicity : Not classfied

○ **Acute (short-term) aquatic hazard:**

Fish

- Distillates (petroleum), hydrotreated heavy paraffinic : 96h-LL50(Pimephales promelas) > 100 mg/L (OECD TG 203, GLP) (ECHA)
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : 96h-LL50(Pimephales promelas) > 100 mg/L (OECD TG 203, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 96h-LL50(Pimephales promelas) > 100 mg/L (OECD TG 203, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : 96h-LL50(Pimephales promelas) > 100 mg/L (OECD TG 203, GLP) (ECHA)
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : 96h-LL50(Oncorhynchus mykiss)=4.5 mg/L (OECD TG 203) (ECHA)
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : 96h-LC50(Pimephales promelas) = 1.4 mg/l (OECD TG 204, GLP) (ECHA)
- Dodecylphenol, branched : 96h-LC50(Pimephales promelas)=40 mg/L(OECD TG 203, GLP)(ECHA)

Invertebrates

- Distillates (petroleum), hydrotreated heavy paraffinic : 48h-EL50(Daphnia magna) > 10,000 mg/L (read across : 64742-53-6 or 64741-97-5) (equivalent or similar to guideline OECD TG 202) (ECHA)
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : 48h-EL50(Daphnia magna) > 10000 mg/L (OECD TG 202) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 48h-EL50(Daphnia magna) > 10000 mg/L (OECD TG 202) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : 48h-EL50(Daphnia magna) > 10000 mg/L (OECD TG 202) (ECHA)
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : 48h-EC50(Daphnia magna)=23 mg/L (OECD TG 202) (ECHA)
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : 48h-EC50(Daphnia magna) = 0.45 mg/l (US EPA TSCA, GLP) (ECHA)
- Dodecylphenol, branched : 48h-EC50(Daphnia magna)=0.037 mg/L(OECD TG 202, GLP) (ECHA)

Aquatic algae

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available

- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not available
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : 72h-ErL50(Desmodesmus subspicatus)=24 mg/L (OECD TG 201, GLP) (ECHA)
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : Not available
- Dodecylphenol, branched : 72h-ErC50(Desmodesmus subspicatus)=0.36 mg/L(OECD TG 201, GLP)(ECHA)

○ **Chronic (Long-term) aquatic hazard:**

Fish

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not available
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not available
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : Not available
- Dodecylphenol, branched : Not available

Invertebrates

- Distillates (petroleum), hydrotreated heavy paraffinic : 21d-NOEL(Daphnia magna)=10 mg/L (read across: 64742-53-6) (equivalent or similar to guideline OECD TG 211, GLP) (ECHA)
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : 21d-NOEL(Daphnia magna) = 10 mg/L (OECD TG 211, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 21d-NOEL(Daphnia magna) = 10 mg/L (OECD TG 211, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : 21d-NOEL(Daphnia magna) = 10 mg/L (OECD TG 211, GLP) (ECHA)
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : 21d-NOEC(Daphnia magna)=0.4 mg/L (OECD TG 211, GLP)(ECHA)
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : 21d-NOEC(Daphnia magna) = 0.035 mg/L (OECD TG 211, GLP) (ECHA)
- Dodecylphenol, branched : 21d-NOEC(Daphnia magna)=0.004 mg/L(OECD TG 211, GLP) (ECHA)

Aquatic algae

- Distillates (petroleum), hydrotreated heavy paraffinic : 72h-NOErL(Pseudokirchnerella subcapitata) >= 100 mg/L (read across: 72623-87-1) (OECD TG 201) (ECHA)
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : 72h-NOErL(Pseudokirchneriella subcapitata) >=100 mg/L (OECD TG 201) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 72h-NOErL(Pseudokirchneriella subcapitata) >=100

mg/L (OECD TG 201) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : 72h-NOErL(Pseudokirchneriella subcapitata) >=100 mg/L (OECD TG 201) (ECHA)
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not available
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : Not available
- Dodecylphenol, branched : 72h-NOEC(Desmodesmus subspicatus)=0.07 mg/L(OECD TG 201, GLP)(ECHA)

2) Persistence and degradability

○ **Persistence**
- Distillates (petroleum), hydrotreated heavy paraffinic : This substance is UVCB, so it is not applicable. (ECHA)
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : log Kow = 6.13 (experimental) (EPISUITE)
- Distillates (petroleum), solvent-dewaxed light paraffinic : log Kow = 6.13 (experimental) (EPISUITE)
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : log Kow = 0.56(ECHA)
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : log Kow = 4.5 (24 °C) (OECD TG 117, GLP) (ECHA)
- Dodecylphenol, branched : log Kow = 7.14 (OECD TG 123)(ECHA)

○ **Degradability**
- Distillates (petroleum), hydrotreated heavy paraffinic : The chemical constituents that comprise the other lubricant base oils category consist entirely of carbon and hydrogen and do not contain hydrolyzable groups. As such, they have a very low potential to hydrolyze. Therefore, this degradative process will not contribute to their removal from the environment. (ECHA)
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not available
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not available
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : Air - DT50: 0.22 d
- Dodecylphenol, branched : An atmospheric half-life of 2.294 hours can be calculated based on hydroxyl radical interaction, but the low vapour pressure of this substance and its Henry's Law Constant indicate that partitioning into atmosphere will not be a significant pathway.(SIDS)

3) Bioaccumulative potential

○ **Bioaccumulation**
- Distillates (petroleum), hydrotreated heavy paraffinic : This substance is UVCB, so it is not applicable. (ECHA)
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : BCF = 5147 (estimated) (EPISUITE)
- Distillates (petroleum), solvent-dewaxed light paraffinic : BCF = 5147 (EPISUITE)
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not available

- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : BCF=ca. 660 L/kg (ECHA)
- Dodecylphenol, branched : BCF=823 (OECD TG 305); TPP has a moderate potential to bioaccumulate.(SIDS)

○ **Biodegradation**

- Distillates (petroleum), hydrotreated heavy paraffinic : Another lubricant base oil, Solvent Neutral 600 Base Oil (MRD-94 -981), was determined to be inherently biodegradable but not readily biodegradable with a mean degradation of 31.13% by day 28. (read across: Solvent Neutral 600 Base Oil (MRD-94-981)) (OECD TG 301F, GLP) (ECHA)
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : 31 % degradation after 28d; not readily biodegradable (OECD TG 301F, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 31 % degradation after 28d; not readily biodegradable (OECD TG 301F, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : 31% degradation after 28 days; not readily biodegradable (OECD TG 301F, GLP) (ECHA)
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : 1.5% degradation after 28 days; not readily biodegradable (OECD TG 301 B, GLP) (ECHA)
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : >= 12 - <= 24 % degradation after 28d; not inherently biodegradable (OECD TG 302C, GLP) (ECHA)
- Dodecylphenol, branched : 10% biodegradation after 56 days (OECD TG 302 D, GLP); cannot be considered to be inherently biodegradable(ECHA)

4) Mobility in soil

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Koc=208800 (EPISUITE)
- Distillates (petroleum), solvent-dewaxed light paraffinic : Koc = 208800 (EPISUITE)
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Koc=1017000
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : Koc = 6506 (EPISUITE)
- Dodecylphenol, branched : Not available

5) Hazard to the ozone layer

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not applicable
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : Not applicable

- Dodecylphenol, branched : Not applicable

6) Other adverse effects

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Trade secret : Not available
- Distillates (petroleum), hydrotreated light paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not available
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not available
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not available
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not available
- 2,6-di-tert-butylphenol : Not available
- Dodecylphenol, branched : Not available

13. DISPOSAL CONSIDERATIONS

1) Disposal methods

- Not available

2) Special precaution for disposal

- The user of this product must disposal by oneself or entrust to waste disposer or person who other's waste recycle and dispose, person who establish and operate waste disposal facilities.
- Dispose of waste in accordance with all applicable laws and regulations.

14. TRANSPORT INFORMATION

1) UN No.

- Not applicable

2) Proper shipping name

- Not applicable

3) Transport hazard class(es)

- Not applicable

4) Packing group

- Not applicable

5) Marine pollutant

- Not applicable

6) Special safety response for transportation or transportation measure

- Types of Emergency Measures in Case of Fire : Not applicable
- Types of Emergency Measures in Leakage : Not applicable
- Transport regulations according to ADR/RID, AND, IMDG and ICAO/IATA : Not applicable

15. REGULATORY INFORMATION

EINECS(or ELINCS)

- Distillates (petroleum), hydrotreated heavy paraffinic : European EINECS phase-in substance
- Trade secret : Not applicable
- Distillates (petroleum), hydrotreated light paraffinic : European EINECS phase-in substance

- Distillates (petroleum), solvent-dewaxed heavy paraffinic : European EINECS phase-in substance
- Distillates (petroleum), solvent-dewaxed light paraffinic : European EINECS phase-in substance
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : European EINECS phase-in substance
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not applicable
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not applicable
- 2,6-di-tert-butylphenol : European EINECS phase-in substance
- Dodecylphenol, branched : European EINECS phase-in substance

EU CLP (CLASSIFICATION) - PRODUCT : Not applicable

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Distillates (petroleum), hydrotreated light paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not applicable
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not applicable
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not applicable
- 2,6-di-tert-butylphenol : Not applicable
- Dodecylphenol, branched : Not applicable

Substances restricted under REACH

- Distillates (petroleum), hydrotreated heavy paraffinic : Substances restricted under REACH
- Trade secret : Not applicable
- Distillates (petroleum), hydrotreated light paraffinic : Substances restricted under REACH
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Substances restricted under REACH
- Distillates (petroleum), solvent-dewaxed light paraffinic : Substances restricted under REACH
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not applicable
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not applicable
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not applicable
- 2,6-di-tert-butylphenol : Not applicable
- Dodecylphenol, branched : Not applicable

Substances subject to authorization under REACH

REACH SVHC List

Korea

○ **Occupational Safety and Health Act**

- Distillates (petroleum), hydrotreated heavy paraffinic : Substance subject to occupational exposure limits, Harmful agents subject to work environment monitoring, Harmful agents subject to workers requiring health examination
- Trade secret : Not applicable
- Distillates (petroleum), hydrotreated light paraffinic : Substance subject to occupational exposure limits, Harmful agents subject to work environment monitoring, Harmful agents subject to workers requiring health examination
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Substance subject to occupational exposure limits, Harmful agents subject to work environment monitoring, Harmful agents subject to workers requiring health examination

- Distillates (petroleum), solvent-dewaxed light paraffinic : Substance subject to occupational exposure limits, Harmful agents subject to work environment monitoring, Harmful agents subject to workers requiring health examination
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Hazardous substance subject to control
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not applicable
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not applicable
- 2,6-di-tert-butylphenol : Not applicable
- Dodecylphenol, branched : Not applicable

○ **K-REACH**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Distillates (petroleum), hydrotreated light paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not applicable
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not applicable
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not applicable
- 2,6-di-tert-butylphenol : Not applicable
- Dodecylphenol, branched : Not applicable

○ **Chemical Control Act in Korea**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Distillates (petroleum), hydrotreated light paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : List of substance subjected to the PRTR
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not applicable
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not applicable
- 2,6-di-tert-butylphenol : Ecologically hazardous substances
- Dodecylphenol, branched : Not applicable

○ **Safety Control of Dangerous Substances Act**

- Distillates (petroleum), hydrotreated heavy paraffinic : Dangerous substance
- Trade secret : Not applicable
- Distillates (petroleum), hydrotreated light paraffinic : Dangerous substance
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not applicable
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not applicable
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not applicable
- 2,6-di-tert-butylphenol : Not applicable
- Dodecylphenol, branched : Not applicable

U.S.A

○ **US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Distillates (petroleum), hydrotreated light paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not applicable
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not applicable
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not applicable
- 2,6-di-tert-butylphenol : Not applicable
- Dodecylphenol, branched : Not applicable

○ **CERCLA Designation of hazardous substances (40 CFR 302.4)**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Distillates (petroleum), hydrotreated light paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not applicable
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not applicable
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not applicable
- 2,6-di-tert-butylphenol : Not applicable
- Dodecylphenol, branched : Not applicable

○ **CERCLA Section 302 regulation**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Distillates (petroleum), hydrotreated light paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not applicable
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not applicable
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not applicable
- 2,6-di-tert-butylphenol : Not applicable
- Dodecylphenol, branched : Not applicable

○ **CERCLA Section 304 regulation**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Distillates (petroleum), hydrotreated light paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not applicable
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not applicable
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not applicable
- 2,6-di-tert-butylphenol : Not applicable
- Dodecylphenol, branched : Not applicable

○ **CERCLA Section 313 regulation**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable

- Trade secret : Not applicable
- Distillates (petroleum), hydrotreated light paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not applicable
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not applicable
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not applicable
- 2,6-di-tert-butylphenol : Not applicable
- Dodecylphenol, branched : Not applicable

Interntional Convention on Environment

○ **Rotterdam Convention list**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Distillates (petroleum), hydrotreated light paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not applicable
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not applicable
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not applicable
- 2,6-di-tert-butylphenol : Not applicable
- Dodecylphenol, branched : Not applicable

○ **Stockholm Convention list**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Distillates (petroleum), hydrotreated light paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not applicable
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not applicable
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not applicable
- 2,6-di-tert-butylphenol : Not applicable
- Dodecylphenol, branched : Not applicable

○ **Montreal Protocol list**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Distillates (petroleum), hydrotreated light paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not applicable
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not applicable
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not applicable
- 2,6-di-tert-butylphenol : Not applicable
- Dodecylphenol, branched : Not applicable

National Inventory

○ **Korea**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Distillates (petroleum), hydrotreated light paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not applicable
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not applicable
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not applicable
- 2,6-di-tert-butylphenol : Not applicable
- Dodecylphenol, branched : Not applicable

○ **U.S.A**

- Distillates (petroleum), hydrotreated heavy paraffinic : US TSCA phase-in substance
- Trade secret : Not applicable
- Distillates (petroleum), hydrotreated light paraffinic : US TSCA phase-in substance
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : US TSCA phase-in substance
- Distillates (petroleum), solvent-dewaxed light paraffinic : US TSCA phase-in substance
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : US TSCA phase-in substance
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not applicable
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not applicable
- 2,6-di-tert-butylphenol : US TSCA phase-in substance
- Dodecylphenol, branched : Not applicable

○ **China**

- Distillates (petroleum), hydrotreated heavy paraffinic : China phase-in substance
- Trade secret : Not applicable
- Distillates (petroleum), hydrotreated light paraffinic : China phase-in substance
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : China phase-in substance
- Distillates (petroleum), solvent-dewaxed light paraffinic : China phase-in substance
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : China phase-in substance
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not applicable
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not applicable
- 2,6-di-tert-butylphenol : China phase-in substance
- Dodecylphenol, branched : China phase-in substance

○ **Japan**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Trade secret : Not applicable
- Distillates (petroleum), hydrotreated light paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Japan ENCS phase-in substance
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Phosphorodithioic acid mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters zinc salts : Not applicable
- Alkylcarbomonocyclic alcohol, alkaline earth metal salt, sulfurized : Not applicable
- Alkylenecarbomonocyclic alcohol, sulfurized, carbonates, alkaline earth metal salts, overbased : Not applicable
- 2,6-di-tert-butylphenol : Japan ENCS phase-in substance
- Dodecylphenol, branched : Not applicable

16. OTHER INFORMATION

1) Reference

- Sources of information used in preparing this SDS included one or more of the following: Internal technical data, data from OECD eChemPortal, ECHA, NITE, TOXNET, IPCS and KOSHA search results.

2) Issue Date

- 2012-11-30

3) Revision number and Last date revised

○ **Number of revised**

- 4

○ **Date of last revision**

- 2026-01-05

○ **Last Revision History**

- Revision of chemical composition and company information

4) Other

- The information contained in the Safety Data Sheet is at the date of its issuance to the best of our knowledge correct according to the data available to us. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.