GS 칼텍스

물질안전보건자료

제품명	Kixx Gear EP S 320		
MSDS번호	목록번호	최초 작성일자	최종 개정일자
제출대상아님	LB3070	2012-11-30	2025-12-31

1. 화학제품과 회사에 관한 정보

가. 제품명

Kixx Gear EP S 320

나. 제품의 권고 용도와 사용상의 제한

- 제품의 권고 용도 21.1. 윤활유
- 제품의 사용상의 제한 정해진 용도 이외에는 사용하지 말것.

다. 공급자 정보

○ **제조자 정보**

- 회사명 지에스칼텍스(주)
- 주소 서울특별시 강남구 논현로 508
- 긴급 전화번호 1899-5145

2. 유해·위험성

가. 유해·위험성 분류

- 해당없음

나. 예방조치문구를 포함한 경고표지 항목

○ **그림문자**

- 해당없음

○ **신호어**

- 해당없음

○ **유해·위험문구**

- 해당없음

○ **예방조치문구**

1) 예방

- 해당없음

2) 대응

- 해당없음

3) 저장

- 해당없음

4) 폐기

- 해당없음

다. 유해·위험성 분류기준에 포함되지 않는 기타 유해·위험성

○ 제품 NFPA 등급

(※ 0-불충분, 1-약간, 2-보통, 3-높음, 4-매우높음)

제품명	보건 Health	화재 Flammable	반응성 Reaction
Kixx Gear EP S 320	0	1	0

3. 구성성분의 명칭 및 함유량

화학물질명	관용명 및 이명(異名)	CAS No.	KE No.	함유량(%)
1-Decene, homopolymer, hydrogenated	Hydrogenated decene homopolymer	68037-01-4	KE-09505	84 ~ 90
Fatty acids, (C=8-10), triesters with trimethylolpropane	Priolube 370	91050-89-4	KE-16420	8 ~ 15
2-Methyl-1-propene, sulfurized	Sulfurized isobutylene	68511-50-2	KE-24904	0.1 ~ 2
영업비밀				0.1 ~ 1
Trilauryl phosphite	Phosphorous acid,tridodecyl ester	3076-63-9	KE-34329	0.1 ~ 0.5
N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene		68411-46-1	KE-28307	0.1 ~ 0.5
3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester	Octyl-3,5-di-tert-butyl-4-hydroxy-hydrocinnamate	125643-61-0	KE-03067	0.1 ~ 0.5
Distillates (petroleum), solvent-dewaxed heavy paraffinic	(엄격한 용제정제 혹은 수소처리된)미네랄 오일, 석유 증류액, 중 파라핀계열 탈랍 용매 ; 중 파라핀계 증류액으로 제거한 솔벤트;아드리아틱 스필들 오일	64742-65-0	KE-12602	0.1 ~ 0.5
Distillates (petroleum), hydrotreated heavy paraffinic	유제 오일	64742-54-7	KE-12546	0.1 ~ 0.5
tert-Alkyl(C=12-14) amines	C12-14-tert-ALKYL AMINES	68955-53-3	KE-00752	0 ~ 0.2

※ 비공개 대상물질 정보

대체물질명(총칭명)	승인번호	함유량(%)	유효기간
영업비밀	T-2023-00601	0.1 ~ 1	2028-08-29

※ 상기 성분 내역을 제외한 모든 구성성분은 규제대상 법률 및 산업안전보건법 제104조(유해인자의 분류기준) 유해성 위험성 분류 기준에 해당하지 않아 표시되지 않았습니다.

※ 이 제품은 IP346 방법에 의해 측정된 DMSO extract가 3% 미만입니다.

4. 응급조치요령

가. 눈에 들어갔을 때
- 물질과 접촉시 즉시 20분 이상 흐르는 물에 눈을 씻어내시오.
- 눈에 자극이 지속되면 의학적인 조치·조언을 구하시오.

나. 피부에 접촉했을 때
- 물질과 접촉시 즉시 20분 이상 흐르는 물에 피부를 씻어내시오.
- 오염된 옷과 신발을 제거하고 격리하시오.
- 재사용 전에는 옷과 신발을 완전히 씻어내시오.
- 피부 자극이 생기면 의학적인 조치·조언을 구하시오.

다. 흡입했을 때
- 신선한 공기가 있는 곳으로 옮기시오.
- 호흡하지 않는 경우 인공호흡을 실시하시오.
- 호흡이 힘들 경우 산소를 공급하시오.
- 호흡기 증상이 나타나면 의료기관(의사)의 진찰을 받으시오.

라. 먹었을 때
- 의식이 없는 사람에게 입으로 아무것도 먹이지 마시오.
- 구토를 유발해야 하는지에 대해서 의사의 조언을 받으시오.
- 즉시 의학적인 조치·조언을 받으시오.
- 입을 씻어내시오.

마. 기타 의사의 주의사항
- 의료인력이 해당물질에 대해 인지하고 보호조치를 취하도록 하시오.

5. 폭발·화재시 대처방법

가. 적절한(부적절한) 소화제
- 소형 화재: 건조모래, 건조화학제, 내알콜포말, 물분무, 일반포말, CO2 (적절한 소화제)
- 대형 화재: 물분무/안개, 일반포말 (적절한 소화제)
- 고압주수 (부적절한 소화제)

나. 화학물질로부터 생기는 특정 유해성
- 열, 스파크, 화염에 의해 점화할 수 있음.
- 화재시 자극성, 독성 가스를 발생할 수 있음.
- 물질의 흡입은 유해할 수 있음.

다. 화재진압시 착용할 보호구 및 예방조치
- 일부는 고온으로 운송될 수 있음.
- 누출물은 오염을 유발할 수 있음.
- 접촉 시 피부와 눈에 화상을 입힐 수 있음.
- 소화수의 처분을 위해 도랑을 파서 가두고 물질이 흩어지지 않게 하시오.
- 위험하지 않다면 화재지역에서 용기를 옮기시오.
- 탱크 화재시 소화가 진화된 후에도 다량의 물로 용기를 식히시오.
- 탱크 화재시 압력 방출장치에서 고음이 있거나 탱크가 변색할 경우 즉시 물러나시오.
- 탱크 화재시 화염에 휩싸인 탱크에서 물러나시오.

6. 누출사고시 대처방법

가. 인체를 보호하기 위해 필요한 조치사항 및 보호구
- 노출물을 만지거나 걸어다니지 마시오.
- 모든 점화원을 제거하시오.
- 오염지역을 환기하시오.
- 위험하지 않다면 누출을 멈추시오.
- 분진 형성을 방지하시오.
- 피해야할 물질 및 조건에 유의하시오.

나. 환경을 보호하기 위해 필요한 조치사항 - 수로, 하수구, 지하실, 밀폐공간으로의 유입을 방지하시오.

다. 정화 또는 제거 방법

- 소량 누출시 다량의 물로 오염지역을 씻어내시오.
- 다량 누출시 액체 누출물과 멀게하여 도랑을 만드시오.
- 청결한 삽으로 누출물을 깨끗하고 건조한 용기에 담고 느슨하게 닫은 뒤 용기를 누출지역으로부터 옮기시오.
- 분말 누출시 플라스틱 시트로 덮어 확산을 막고 건조한 상태로 유지하시오.
- 소량 누출시 모래, 비가연성 물질로 흡수하고 용기에 담으시오.

7. 취급 및 저장방법

가. 안전취급요령

- 취급 후 철저히 씻으시오.
- 피해야할 물질 및 조건에 유의하시오.
- 공학적 관리 및 개인보호구를 참조하여 작업하시오.
- 고온에 주의하시오.

나. 안전한 저장방법

- 서늘하고 건조한 장소에 저장하시오.
- 피해야할 물질 및 조건에 유의하시오.
- 밀폐하여 보관하시오.

8. 노출방지 및 개인보호구

가. 화학물질의 노출기준, 생물학적 노출기준 등

화학물질명	국내규정	ACGIH 규정	OSHA 규정	생물학적 노출기준
1-Decene, homopolymer, hydrogenated	자료없음	자료없음	자료없음	자료없음
Fatty acids, (C=8-10), triesters with trimethylolpropane	자료없음	자료없음	자료없음	자료없음
2-Methyl-1-propene, sulfurized	자료없음	자료없음	자료없음	자료없음
Trade secret	자료없음	자료없음	자료없음	자료없음
Trilauryl phosphite	자료없음	자료없음	자료없음	자료없음
N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene	자료없음	자료없음	자료없음	자료없음
3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester	자료없음	자료없음	자료없음	자료없음

Distillates (petroleum), solvent-dewaxed heavy paraffinic	TWA : 자료없음	TWA 5 mg/m3, Inhalable particulate matter(Mineral oil, Pure, highly and severely refined)	자료없음	자료없음
Distillates (petroleum), hydrotreated heavy paraffinic	TWA : 자료없음	TWA 5 mg/m3, Inhalable particulate matter(Mineral oil, Pure, highly and severely refined)	자료없음	자료없음
tert-Alkyl(C=12-14) amines	자료없음	자료없음	자료없음	자료없음

나. 적절한 공학적 관리

- 공정격리, 국소배기를 사용하거나 공기수준을 노출기준 이하로 유지하시오.
- 조건에 맞도록 환기 속도를 조정하시오.

다. 개인보호구

○ 호흡기 보호

- 노출되는 입자상 물질의 물리화학적 특성에 맞는 산업안전보건공단의 인증을 필한 호흡용 보호구를 착용하시오.
- 입자상 물질의 경우 다음과 같은 호흡기 보호구가 권고됨 - 안면부 여과식 방진마스크 또는 공기 여과식 방진마스크(고효율 미립자 여과재) 또는 전동팬 부착방진 마스크(분진, 미스트, 흄용 여과재)
- 산소가 부족한 경우(<196%), 송기마스크, 혹은 자급식 호흡보호구를 착용하시오.
- 사전에 경고 특성을 고려하시오.

○ 눈 보호

- 눈에 자극을 일으키거나 기타 건강상의 장해를 일으킬 수 있는 물질에 대하여 눈을 보호하기 위하여 통기성 보안경을 착용하시오.
- 근로자가 접근이 용이한 위치에 긴급세척시설(샤워식) 및 세안설비를 설치하시오.
- 해당물질에 직접적인 노출 또는 노출 가능성이 있는 경우, 한국산업안전보건공단 인증을 받은 화학물질용 보안경을 착용할 것.

○ 손 보호

- 화학물질의 물리적 및 화학적 특성을 고려하여 적절한 재질의 보호잡강을 착용하시오.
- 해당물질에 직접적인 노출 또는 노출 가능성이 있는 경우, 한국산업안전보건공단 인증을 받은 화학물질용 안전 장갑을 착용할 것.

○ 신체 보호

- 화학물질의 물리적 및 화학적 특성을 고려하여 적절한 재질의 보호의복을 착용하시오.
- 해당물질에 직접적인 노출 또는 노출 가능성이 있는 경우, 한국산업안전보건공단 인증을 받은 화학물질용 보호복을 착용할 것.

9. 물리화학적 특성

항목	입력값
외관	액체
색상	자료없음
냄새	a specific smell of Hydrocarbon

냄새역치	자료없음
pH	자료없음
녹는점/어는점	자료없음
초기 끓는점과 끓는점범위	자료없음
인화점	248 ℃
증발속도	자료없음
인화성(고체,기체)	자료없음
인화폭발범위	자료없음
증기압	자료없음
용해도	자료없음
증기밀도	자료없음
비중	자료없음
분배계수	자료없음
자연발화온도	해당없음
분해온도	자료없음
점도	320 mm2/s (at 40℃)
분자량	자료없음

10. 안정성 및 반응성

가. 화학적 안정성 및 유해 반응의 가능성
- 상온 상압 조건에서 안정함.
- 가열시 용기가 폭발할 수 있음.
- 일부는 탈 수 있으나 쉽게 점화하지 않음.

나. 피해야 할 조건
- 열, 스파크, 화염 등 점화원.

다. 피해야 할 물질
- 가연성 물질.
- 자극성, 독성 가스.

라. 분해시 생성되는 유해물질
- 자료없음

11. 독성에 관한 정보

가. 가능성이 높은 노출 경로에 관한 정보

○ 호흡기를 통한 흡입

- 호흡기를 통한 흡입 영향 없음

○ 피부접촉

- 피부 접촉 시 영향 없음

○ 눈 접촉

- 눈 접촉 시 영향 없음

○ **입을 통한 접촉**

- 입을 통한 섭취 영향 없음

나. 건강 유해성 정보

○ **급성독성**

*** 경구 - 분류되지 않음 (ATEmix > 2000 mg/kg)**

- 1-Decene, homopolymer, hydrogenated : 랫드(암/수); LD50 > 5000 ㎎/kg bw, 사망없음 (OECD TG 423, GLP) (ECHA)
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 랫드(암/수); LD50 > 2000 ㎎/kg bw, 사망없음 (OECD TG 401) (ECHA)
- 2-Methyl-1-propene, sulfurized : LD50 5000 ㎎/kg 랫드
- Trade secret : 자료없음
- Trilauryl phosphite : 자료없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 랫드(암/수); LD50 > 5000 ㎎/kg bw, 사망없음 (OECD TG 401) (ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 랫드(암/수); LD50 > 2000 mg/kg bw, 사망없음 (OECD TG 401, GLP) ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 랫드(암/수); LD50 > 5000 ㎎/kg bw, 사망없음 (OECD TG 401, GLP) (유사물질 자료: 64742-56-9) (ECHA)
- Distillates (petroleum), hydrotreated heavy paraffinic : 랫드(암/수), LD50 > 5,000 mg/kg bw, 사망개체 없음 (유사물질 자료: 64742-56-9) (OECD TG 401, GLP) (ECHA)
- tert-Alkyl(C=12-14) amines : 랫드(암/수); LD50 = 612 mg/kg (OECD TG 401, GLP)(HPVIS)

*** 경피 - 분류되지 않음 (ATEmix > 2000 mg/kg)**

- 1-Decene, homopolymer, hydrogenated : 랫드(암/수); LD50 > 2000 ㎎/kg bw, 사망없음 (OECD TG 402, GLP) (유사물질 자료: Oronite XS 1010) (ECHA)
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 토끼(암/수); LD50 > 2000 ㎎/kg bw, 시망없음 (OECD TG 402, GLP) (ECHA)
- 2-Methyl-1-propene, sulfurized : 자료없음
- Trade secret : 자료없음
- Trilauryl phosphite : 자료없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 랫드(암/수); LD50 > 2000 ㎎/kg bw, 사망없음 (OECD TG 402) (ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 랫드(암/수); LD50 > 2000 mg/kg bw, 사망없음 (OECD TG 402, GLP) ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 토끼(암/수); LD50 > 5000 ㎎/kg bw, 사망없음 (OECD TG 402, GLP) (유사물질 자료: 64742-56-9) (ECHA)
- Distillates (petroleum), hydrotreated heavy paraffinic : 토끼(암/수), LD50 > 5,000 mg/kg bw, 사망개체 없음 (유사물질 자료: 64742-56-9) (OECD TG 402, GLP) (ECHA)
- tert-Alkyl(C=12-14) amines : 랫드(암/수); LD50 = 251 mg/kg (OECD TG 402, GLP)(HPVIS)

*** 흡입(가스) - 해당없음**

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 자료없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음

- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

*** 흡입(증기) - 분류되지 않음 (ATEmix > 20 mg/L)**

- 1-Decene, homopolymer, hydrogenated : 자료없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 자료없음
- 2-Methyl-1-propene, sulfurized : 자료없음
- Trade secret : 자료없음
- Trilauryl phosphite : 자료없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 자료없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 자료없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 자료없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 자료없음
- tert-Alkyl(C=12-14) amines : 랫드(암/수); 증기 흡입 LC50 > 0.94 mg/L 4h (OECD TG 403, GLP) (HPVIS)

*** 흡입(분진, 미스트) - 분류되지 않음 (ATEmix > 5 mg/L)**

- 1-Decene, homopolymer, hydrogenated : 랫드(암/수); 에어로졸 흡입; LC50 > 5.2 mg/L air /4h, 사망없음 (OECD TG 403, GLP) (ECHA)
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 랫드(암/수); 에어로졸 흡입; LC50 > 5.1 mg/L air /4h, 사망없음 (OECD TG 403) (ECHA)
- 2-Methyl-1-propene, sulfurized : 자료없음
- Trade secret : 자료없음
- Trilauryl phosphite : 자료없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 자료없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 자료없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 랫드(암/수); 에어로졸 흡입; LC50 > 5.53 mg/L air /4h, 사망없음 (OECD TG 403) (유사물질 자료: MRD-87-102) (ECHA)
- Distillates (petroleum), hydrotreated heavy paraffinic : 에어로졸 흡입; 랫드(암/수); 4h-LC50 > 5.53 mg/L. 사망 개체 없음 (유사물질: MRD-87-102) (OECD TG 403) (ECHA)
- tert-Alkyl(C=12-14) amines : 자료없음

○ 피부부식성 또는 자극성 : 분류되지 않음

- 1-Decene, homopolymer, hydrogenated : 토끼를 대상으로 피부부식성/자극성 시험결과, 비자극성 (OECD TG 404, GLP) (ECHA)
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 토끼를 대상으로 피부부식성/자극성 시험결과, 비자극성 (OECD TG 404) (ECHA)
- 2-Methyl-1-propene, sulfurized : 토끼에 피부 자극성 시험에서 자극성 아님
- Trade secret : 자료없음
- Trilauryl phosphite : 자료없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 토끼를 대상으로 피부부식성/자극성 시험결과, 비자극성 (OECD TG 404) (ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy : 토끼를 대상으로 피부부식성/자극성 시험결과, 비자극성 (OECD TG 404, GLP) (ECHA)

benzene propanoic acid branched alkyl (C=7-9) ester

- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 토끼를 대상으로 피부부식성/자극성 시험결과, 비자극성 (GLP) (유사물질 자료: 64742-56-9) (ECHA)
- Distillates (petroleum), hydrotreated heavy paraffinic : 토끼를 대상으로 피부부식성/자극성 시험결과, 비자극성 (유사물질 자료 : 64742-56-9) (GLP) (ECHA)
- tert-Alkyl(C=12-14) amines : 토끼를 대상으로 피부부식성/자극성 시험결과, 부식성 (GLP)(HPVIS)

○ 심한 눈손상 또는 자극성 : 분류되지 않음

- 1-Decene, homopolymer, hydrogenated : 토끼를 대상으로 심한 눈손상/자극성 시험결과, 비자극성 (OECD TG 405, GLP) (ECHA)
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 토끼를 대상으로 심한 눈손상/자극성 시험결과, 비자극성 (OECD TG 405) (ECHA)
- 2-Methyl-1-propene, sulfurized : 토끼에 눈 자극성 실험에서 자극성 아님
- Trade secret : 자료없음
- Trilauryl phosphite : 자료없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 토끼를 대상으로 심한 눈손상/자극성 시험결과, 비자극성 (OECD TG 405) (ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 토끼를 대상으로 심한 눈손상/자극성 시험결과, 비자극성 (OECD TG 405, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 토끼를 대상으로 심한 눈손상/자극성 시험결과, 비자극성 (OECD TG 405, GLP) (유사물질 자료: 64742-56-9) (ECHA)
- Distillates (petroleum), hydrotreated heavy paraffinic : 토끼를 대상으로 심한 눈손상성/자극성 시험결과, 비자극성 (유사물질 자료: 64742-56-9) (OECD TG 405와 유사, GLP) (ECHA)
- tert-Alkyl(C=12-14) amines : 토끼를 대상으로 심한 눈손상/자극성 시험결과, 심한 눈손상 유발 (Draize Test, GLP) (EPA HPVIS)

○ 호흡기과민성 : 분류되지 않음

- 1-Decene, homopolymer, hydrogenated : 자료없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 자료없음
- 2-Methyl-1-propene, sulfurized : 자료없음
- Trade secret : 자료없음

- Trilauryl phosphite : 자료없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 자료없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 자료없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 자료없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 자료없음
- tert-Alkyl(C=12-14) amines : 자료없음

○ 피부과민성 : 분류되지 않음

- 1-Decene, homopolymer, hydrogenated : 기니피그를 대상으로 피부과민성 시험결과, 비과민성 (OECD TG 406, GLP) (ECHA)
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 자료없음
- 2-Methyl-1-propene, sulfurized : 기니아피그의 감작성 시험에서 민감성 아님
- Trade secret : 자료없음
- Trilauryl phosphite : 자료없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 기니피그를 대상으로 피부과민성 시험결과, 비과민성 (OECD TG 406, GLP) (ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 기니피그를 대상으로 피부과민성 시험결과, 비과민성 (OECD TG 406, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 기니피그를 대상으로 피부과민성 시험결과, 비과민성 (OECD TG 406, GLP) (유사물질 자료: 64742-53-6) (ECHA)
- Distillates (petroleum), hydrotreated heavy paraffinic : 기니피그를 대상으로 피부과민성 시험결과, 비과민성 (유사물질 자료: 64742-56-9) (OECD TG 406, GLP) (ECHA)
- tert-Alkyl(C=12-14) amines : 기니피그를 대상으로 피부과민성 시험결과, 비과민성 (OECD TG 406, GLP) (HPVIS)

○ 발암성 : 분류되지 않음

- 1-Decene, homopolymer, hydrogenated : 고용노동부고시, 산업안전보건법, IARC, OSHA, NTP, ACGIH, EU CLP 1272/2008: 등재되지 않음
- Fatty acids, (C=8-10), : 고용노동부고시, 산업안전보건법, IARC, OSHA, NTP, ACGIH, EU CLP 1272/2008: 등

triesters with trimethylolpropane		재되지 않음
- 2-Methyl-1-propene, sulfurized	:	고용노동부고시, 산업안전보건법, IARC, OSHA, NTP, ACGIH, EU CLP 1272/2008: 등재되지 않음
- Trade secret	:	자료없음
- Trilauryl phosphite	:	고용노동부고시, 산업안전보건법, IARC, OSHA, NTP, ACGIH, EU CLP 1272/2008: 등재되지 않음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene	:	고용노동부고시, 산업안전보건법, IARC, OSHA, NTP, ACGIH, EU CLP 1272/2008: 등재되지 않음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester	:	고용노동부고시, 산업안전보건법, IARC, OSHA, NTP, ACGIH, EU CLP 1272/2008 : 등재되지 않음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic	:	EU CLP 1272/2008 : Carc. 1B (Note L : IP346 방법에 의해 측정된 DMSO extract가 3% 미만인 경우는 제외)
- Distillates (petroleum), hydrotreated heavy paraffinic	:	EU CLP 1272/2008 : Carc. 1B (Note L : IP346 방법에 의해 측정된 DMSO extract가 3% 미만인 경우는 제외)
- tert-Alkyl(C=12-14) amines	:	고용노동부고시, 산업안전보건법, 환경부고시, IARC, EU CLP 1272/2008, OSHA, ACGIH, US EPA IRIS, NTP : 등재되지 않음

○ 생식세포변이원성 : 분류되지 않음

- 1-Decene, homopolymer, hydrogenated	:	시험관 내 박테리아 복귀돌연변이시험결과, 음성 (OECD TG 471, GLP) (ECHA) 생체 내 포유류 적혈구를 이용한 소핵시험결과, 음성 (OECD TG 474, GLP) (유사물질 자료: Oronite XS 101) (ECHA)
- Fatty acids, (C=8-10), triesters with trimethylolpropane	:	시험관 내 박테리아 복귀돌연변이시험결과, 음성 (OECD TG 471, GLP) (ECHA) 생체 내 : 자료없음
- 2-Methyl-1-propene, sulfurized	:	생식세포 변이원성에 관한 명확한 근거가 없음
- Trade secret	:	자료없음
- Trilauryl phosphite	:	자료없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene	:	시험관 내 박테리아 복귀돌연변이시험결과, 음성 (OECD TG 471) (ECHA) 생체 내 설치류 우성치사시험결과, 음성 (OECD TG 478) (ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester	:	시험관 내 박테리아 복귀돌연변이시험결과, 음성 (OECD TG 471, GLP) (ECHA) 생체 내 소핵시험결과, 음성 (OECD TG 474, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic	:	시험관 내 박테리아 복귀돌연변이시험 (OECD TG 471)결과, 양성 (유사물질 자료: 64741-50-0) (ECHA), 시험관 내 포유류 염색체이상시험결과, 음성 (OECD TG 473) (유사물질 자료: L-06 Light Hydrotreated Feedstock) (ECHA)

생체 내 포유류 적혈구를 이용한 소핵시험결과, 음성 (OECD TG 474) (유사물질 자료: solvent-extracted, dewaxed paraffin oil) (ECHA)

- Distillates (petroleum), hydrotreated heavy paraffinic : 시험관 내 박테리아 복귀돌연변이시험결과, 음성 (OECD TG 471과 유사) (ECHA)
  시험관 내 포유류 염색체이상시험결과, 음성 (유사물질 자료 : 64742-53-6) (OECD TG 473과 유사, GLP) (ECHA)
  생체 내 소핵시험결과, 음성(유사물질 자료 : 64741-62-4, 64741-53-3) (OECD TG 474와 유사) (ECHA)
- tert-Alkyl(C=12-14) amines : 시험관 내 박테리아 복귀돌연변이시험 (OECD TG 471, GLP) 결과, 음성 (EPA HPVIS)
  생체 내 마우스(암/수) 골수세포 염색체이상시험 (OECD TG 474, GLP) 결과, 음성 (EPA HPVIS)

○ 생식독성 : 분류되지 않음

- 1-Decene, homopolymer, hydrogenated : 랫드(암/수)를 대상으로 0, 100, 500, 1000 mg/kg/day의 농도로 1세대 생식독성시험결과, 생식에 어떤 영향도 관찰되지 않음 (OECD TG 415, GLP) (ECHA)
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 랫드를 대상으로 800, 2000 mg/kg bw/day의 농도로 태아발달독성시험결과, 모독성, 생식 매개변수, 태아의 외부 및 골격 발달에 악영향을 미치지 않음 (OECD TG 414) (유사물질 자료: Stock 59) (ECHA)
- 2-Methyl-1-propene, sulfurized : 자료없음
- Trade secret : 자료없음
- Trilauryl phosphite : 자료없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 랫드(암/수)를 대상으로 25, 75, 225 mg/kg bw의 농도로 생식/발달독성 및 병합반복투여시험결과, 최고 투여군까지 생식 및 발달 매개변수에 독성학적으로 관련있는 영향이 관찰되지 않음 (OECD TG 422, GLP) (ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 토끼를 대상으로 20, 40, 80 mg/kg bw/day의 농도로 경구 발달독성시험결과, 관찰된 착상후 손실은 기록된 약한 모체독성에 의한 것으로 판단되지 않음 (OECD TG 414, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 랫드(암/수)를 대상으로 1000 mg/kg/day의 농도로 생식/발달독성 스크리닝시험결과, 어느 농도에서도 생식능에 부정적인 영향을 미치지 않았으며, 신생아 독성 또한 관찰되지 않음 (OECD TG 421, GLP) (유사물질 자료: Chevron 100 Neutral) (ECHA)
- Distillates (petroleum), hydrotreated heavy paraffinic : 랫드를 대상으로 생식/발달독성 스크리닝시험결과, 시험된 농도 어디에서도 생식능에 악영향을 미치지 않았고 신생아독성도 발견되지 않음 (유사물질 자료: Chevron 100 Neutral) (OECD TG 421, GLP) (ECHA)
- tert-Alkyl(C=12-14) amines : 랫드(암/수); 1세대 생식독성연구; 10주; 250, 750, 1500 ppm; 750, 1500 ppm에서 새끼의 무게 감소가 나타나므로 NOEL(부모독성) = 250 ppm (OECD TF 415, GLP) (HPVIS)

○ 표적장기·전신독성물질(1회노출) : 분류되지 않음

- 1-Decene, homopolymer, hydrogenated : 랫드(암/수)를 대상으로 급성경구독성시험결과, 일시적인 경미한 우울 및 기름기 털 관찰되었으나 노출 후 5일째날까지 정상으로 회복됨. LD50 > 5000 ㎎/kg bw, 사망없음 (OECD TG 423, GLP) (ECHA)
  랫드(암/수)를 대상으로 급성경피독성시험결과, 2000 mg/kg에서 수컷 한마리의 신장에 팽창된 신우 관찰되었으나 투여 관련된 영향으로 판단되지 않음. LD50 > 2000 ㎎/kg bw, 사망없음 (OECD TG 402, GLP) (유사물질 자료: Oronite XS 1010) (ECHA)
  랫드(암/수)를 대상으로 급성흡입독성시험결과, 병리학적 소견결과 투여 관련된 변

이 관찰되지 않음. LC50 > 5.2 mg/L air /4h, 사망없음 (OECD TG 403, GLP) (ECHA)

- Fatty acids, (C=8-10), triesters with trimethylolpropane : 랫드(암/수)를 대상으로 급성경구독성시험결과, 14일의 관찰기간 종료까지 독성의 임상증상 관찰되지 않음. LD50 > 2000 ㎎/kg bw, 사망없음 (OECD TG 401) (ECHA)
토끼(암/수)를 대상으로 급성경피독성시험결과, 14일의 관찰기간 종료까지 독성의 임상증상 관찰되지 않음. LD50 > 2000 ㎎/kg bw, 사망없음 (OECD TG 402, GLP) (ECHA)
랫드(암/수)를 대상으로 급성흡입독성시험결과, 부검 및 조직병리학적 검사결과 물질 관련 소견 없음. LC50 > 5.1 mg/L air /4h, 사망없음 (OECD TG 403) (ECHA)
- 2-Methyl-1-propene, sulfurized : 자료없음
- Trade secret : 자료없음
- Trilauryl phosphite : 자료없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 랫드(암/수)를 대상으로 급성경구독성시험결과, 화합물 관련된 육안적 장기 변이는 관찰되지 않음. LD50 > 5000 ㎎/kg bw, 사망없음 (OECD TG 401) (ECHA)
랫드(암/수)를 대상으로 급성경피독성시험결과, 악영향 관찰되지 않음. LD50 > 2000 ㎎/kg bw, 사망없음 (OECD TG 402) (ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 랫드(암/수)를 대상으로 급성경구독성시험결과, 정상적 형태학상 소견결과 장기에 대한 영향에 변이 없음 (OECD TG 401, GLP) ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 랫드(암/수)를 대상으로 급성경구독성시험결과, 독성의 임상 증상 관찰되지 않음. LD50 > 5000 ㎎/kg bw, 사망없음 (OECD TG 401, GLP) (유사물질 자료: 64742-56-9) (ECHA)
토끼(암/수)를 대상으로 급성경피독성시험결과, 뚜렷한 임상 독성의 증후는 관찰되지 않음. LD50 > 5000 ㎎/kg bw, 사망없음 (OECD TG 402, GLP) (유사물질 자료: 64742-56-9) (ECHA)
랫드(암/수)를 대상으로 급성흡입독성시험결과, 노출이 감소되고 관찰 10일째까지 개체 털에 물질 침전. 그룹간 평균 체중에 통계학적으로 유의미한 차이 없음. LC50 > 5.53 mg/L air /4h, 사망없음 (OECD TG 403) (유사물질 자료: MRD-87-102) (ECHA)
- Distillates (petroleum), hydrotreated heavy paraffinic : 랫드(암/수)를 대상으로 급성 경구독성시험결과, 사망개체 없었으며 한마리의 오른쪽 신장에 수신증 관찰되었으나 시험물질의 투여와 관련된 것은 아니며, 다른 이상 증상은 관찰되지 않음 (유사물질 자료: 64742-56-9) (OECD TG 401, GLP) (ECHA)
토끼(암/수)를 대상으로 급성 경피독성시험결과, 5000 mg/kg bw의 농도에서 피부 자극이나 임상 독성의 징후를 야기하지 않았으며 육안 부검에서 전신독성의 징후 또한 관찰되지 않음 (유사물질 자료: 64742-56-9) (OECD TG 402, GLP) (ECHA)
- tert-Alkyl(C=12-14) amines : 자료없음

○ 표적장기·전신독성물질(반복노출) : 분류되지 않음

- 1-Decene, homopolymer, hydrogenated : 랫드(암/수)를 대상으로 0, 100, 500, 1000 mg/kg/day의 농도로 91일간 반복경구투여시험결과, 시험된 최고 농도까지 영향이 관찰되지 않았으므로 NOAEL=1000 mg/kg/day로 설정됨 (OECD TG 408, GLP) (ECHA)
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 랫드(암/수)를 대상으로 800, 2000 mg/kg bw/day의 농도로 13주간 반복경피독성시험결과, 시험된 최고 농도까지 영향이 관찰되지 않았으므로 NOAEL>=2000 mg/kg bw/day로 설정됨 (OECD TG 411) (ECHA)

- 2-Methyl-1-propene, sulfurized : 반복투여, 장기간 노출로 인한 특정표적장기독성의 근거가 없음
- Trade secret : 자료없음
- Trilauryl phosphite : 자료없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 랫드(수)를 대상으로 100, 300, 1000 mg/kg bw의 농도로 28일간 반복경구투여시험결과, 체중에 대한 영향 및 임상 증상 관찰되지 않음 (ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 랫드(암/수)를 대상으로 90일간 반복경구투여시험결과, 영향 없음 (OECD TG 408, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 토끼(암/수)를 대상으로 반복경피독성시험결과, 시험된 최고 농도에서 전신 악영향이 관찰되지 않았으므로 NOAEL = 1,000 mg/kg (OECD TG 410, GLP) (유사물질 자료: 64742-53-6) (ECHA)
- Distillates (petroleum), hydrotreated heavy paraffinic : 토끼를 대상으로 28일간 아급성 경피독성시험결과, 전신독성 영향이 관찰되지 않았으므로 NOAEL(전신독성)=1,000 mg/kg로 설정됨 (유사물질 자료 : 64742-53-6) (OECD TG 410, GLP) (ECHA)
  랫드를 대상으로 4주간 0, 50, 220, 1000 mg/m3의 농도로 아급성 흡입독성시험결과, 전신 영향이 관찰되지 않음. 폐 내 오일 침착과 관련된 폐 변이에 대한 NOAEL=220 mg/m3로, 총체적 NOAEL(전신영향)은 전신독성이 관찰되지 않았으므로 > 980 mg/m3로 설정됨 (유사물질 자료 : 64742-70-7) (OECD TG 412와 유사) (ECHA)
- tert-Alkyl(C=12-14) amines : 랫드(암/수); 흡입 : 증기; 4주 2, 19, 129, 537 mg/m3; NOAEL = 19 mg/m3; 4주간의 노출시험이 끝났을 때, 모든 생존동물을 대상으로한 신경학적 평가에서 누적독성 영향의 징후를 보인 그룹은 없었다 (OECD TG 412, GLP)(HPVIS)

○ 흡인유해성 : 분류되지 않음

- 1-Decene, homopolymer, hydrogenated : 31.0 mm2/s (40°C) (ECHA)의 동점도를 가지며 탄화수소류임
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 19.4 mm²/s (40 °C) (ECHA)의 동점도를 가지며 탄화수소류 아님
- 2-Methyl-1-propene, sulfurized : 자료없음
- Trade secret : 자료없음
- Trilauryl phosphite : 자료없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 352.7 mm²/s (40°C) (ECHA)의 동점도를 갖으며 탄화수소류 아님
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 110-115 mPa s (40°C) (OECD TG 114) (ECHA)의 점도를 갖으며 탄화수소류 아님
- Distillates (petroleum), : 52.1 mm2/s (40°C) (ECHA)의 동점도를 갖는 탄화수소류

solvent-dewaxed heavy paraffinic

- Distillates (petroleum), hydrotreated heavy paraffinic : 동점도 : 73.9 mm2/s (40°C)(ECHA)이면서 탄화수소류
- tert-Alkyl(C=12-14) amines : 해당없음

12. 환경에 미치는 영향

가. 생태독성

- 급성 수생 환경유해성 : 분류되지 않음 (ATEmix>1mg/L)
- 만성 수생 환경유해성 : 분류되지 않음

○ 급성 수생 환경유해성

어류

- 1-Decene, homopolymer, hydrogenated : 난용성 물질(수용해도:< 0.1 mg/L (ECHA))로서 수용해도 농도까지 급서독성이 관찰되지 않았으므로(96h-LL50(Oncorhynchus mykiss) > 1000 mg/L (US EPA, GLP) (ECHA)) 급성독성 없음으로 판단
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 수용해도(<0.05 mg/L) 한계까지 독성 영향 없음
- 2-Methyl-1-propene, sulfurized : LC50 0.721 mg/L 96 hr (예측치)
- Trade secret : 자료없음
- Trilauryl phosphite : 수용해도 한계까지 독성영향이 관찰되지 않음 (EPISUITE)
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 96h-LC50(Danio rerio) > 100 mg/L (OECD TG 203) (ECHA); 수용해도 범위 내에 독성 영향이 관찰되지 않음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 난용성 물질(수용해도 : < 0.03 mg/l (20°C, pH 6.4))로서 수용해도까지 급성독성이 관찰되지 않았으므로(96h-LC50(Danio rerio) > 94 mg/L (OECD TG 203, GLP) (ECHA)) 급성독성 없음으로 판단
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 96h-LL50(Pimephales promelas) > 100 mg/L (OECD TG 203, GLP) (ECHA)
- Distillates (petroleum), hydrotreated heavy paraffinic : 96h-LL50(Pimephales promelas) > 100 mg/L (OECD TG 203, GLP)(ECHA)
- tert-Alkyl(C=12-14) amines : 96h-LC50(Oncorhynchus mykiss) = 1.3 mg/L (OECD TG 203, GLP)(HPVIS)

갑각류

- 1-Decene, homopolymer, hydrogenated : 난용성 물질(수용해도:< 0.1 mg/L (ECHA))로서 수용해도 농도까지 급성독성이 관찰되지 않았으므로(48h-EL50(Daphnia magna) > 1000 mg/L (OECD TG 202, GLP) (ECHA)) 급성독성 없음으로 판단
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 수용해도(<0.05 mg/L) 한계까지 독성 영향 없음
- 2-Methyl-1-propene, sulfurized : LC50 0.604 mg/L 48 hr (예측치)
- Trade secret : 자료없음
- Trilauryl phosphite : 수용해도 한계까지 독성영향이 관찰되지 않음 (EPISUITE)
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 48h-EC50(Daphnia magna) = 51 mg/L (OECD TG 202, GLP) (ECHA); 수용해도 범위 내에 독성 영향이 관찰되지 않음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 난용성 물질(수용해도 : < 0.03 mg/l (20°C, pH 6.4))로서 수용해도까지 급성독성이 관찰되지 않았으므로(24h-EC50(Daphnia magna) = 4.3 mg/L (OECD TG 202, GLP) (ECHA)) 급성독성 없음으로 판단
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 48h-EL50(Daphnia magna) > 10000 mg/L (OECD

TG 202) (ECHA)

- Distillates (petroleum), hydrotreated heavy paraffinic : 48h-EL50(Daphnia magna) > 10,000 mg/L (유사물질 자료: 64742-53-6 또는 64741-97-5) (OECD TG 202와 유사) (ECHA)
- tert-Alkyl(C=12-14) amines : 48h-EC50(Daphnia magna) = 4.1 mg/L (OECD TG 202, GLP)(HPVIS)

조류

- 1-Decene, homopolymer, hydrogenated : 난용성 물질(수용해도:< 0.1 mg/L (ECHA))로서 수용해도 농도까지 급서독성이 관찰되지 않았으므로(72h-ErL50(Scenedesmus capricornutum) > 1000 mg/L (OECD TG 201, GLP) (ECHA)) 급성독성 없음으로 판단
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 수용해도(<0.05 mg/L) 한계까지 독성 영향 없음
- 2-Methyl-1-propene, sulfurized : EC50 0.915 mg/L 96 hr (예측치)
- Trade secret : 자료없음
- Trilauryl phosphite : 수용해도 한계까지 독성영향이 관찰되지 않음 (EPISUITE)
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 72h-ErC50(Desmodesmus subspicatus) > 100 mg/L (OECD TG 201) (ECHA); 수용해도 범위 내에 독성 영향이 관찰되지 않음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 난용성 물질(수용해도 : < 0.03 mg/l (20°C, pH 6.4))로서 수용해도까지 급성독성이 관찰되지 않았으므로(72h-ErC50(Desmodesmus subspicatus) > 3 mg/L (OECD TG 201, GLP) (ECHA)) 급성독성 없음으로 판단
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 자료없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 자료없음
- tert-Alkyl(C=12-14) amines : 72h-ErC50(Selenastrum capricornutum) = 0.2 mg/L (OECD TG 201, GLP)(HPVIS)

○ 만성 수생 환경유해성

어류

- 1-Decene, homopolymer, hydrogenated : 자료없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 자료없음
- 2-Methyl-1-propene, sulfurized : 자료없음
- Trade secret : 자료없음
- Trilauryl phosphite : 자료없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 자료없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 수용해도 : < 0.03 mg/l (20°C, pH 6.4), 36d-NOEC(Danio rerio) = 0.001 mg/L (OECD TG 210, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 자료없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 자료없음
- tert-Alkyl(C=12-14) amines : 96d-NOErC(Oncorhynchus mykiss) = 0.078 mg/L (OECD TG 210, GLP)(HPVIS)

갑각류

- 1-Decene, homopolymer, hydrogenated : 21d-NOELR(Daphnia magna) = 125 mg/L (OECD TG 211, GLP) (ECHA)
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 자료없음
- 2-Methyl-1-propene, sulfurized : 자료없음
- Trade secret : 자료없음
- Trilauryl phosphite : 자료없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 21d-EL10(Daphnia magna) = 1.69 mg/L (OECD TG 211, GLP) (ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 수용해도 : < 0.03 mg/l (20°C, pH 6.4), 21d-NOEC(Daphnia magna) <= 0.01 mg/L (OECD TG 211, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 21d-NOEL(Daphnia magna) = 10 mg/L (OECD TG

211, GLP) (ECHA)
- Distillates (petroleum), hydrotreated heavy paraffinic : 21d-NOEL(Daphnia magna)=10 mg/L (유사물질: 64742-53-6) (OECD TG 211과 유사, GLP) (ECHA)
- tert-Alkyl(C=12-14) amines : 자료없음

조류

- 1-Decene, homopolymer, hydrogenated : 72h-NOErLR(Scenedesmus capricornutum) = 1000 mg/L (OECD TG 201, GLP) (ECHA)
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 자료없음
- 2-Methyl-1-propene, sulfurized : 자료없음
- Trade secret : 자료없음
- Trilauryl phosphite : 자료없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 72h-NOErC(Desmodesmus subspicatus) = 10-100 mg/L (OECD TG 201) (ECHA); 수용해도 범위 내에 독성 영향이 관찰되지 않음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 수용해도 : < 0.03 mg/l (20°C, pH 6.4), 72h-NOErC(Desmodesmus subspicatus) > 3 mg/L (OECD TG 201, GLP) (ECHA); no short-term toxicity
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 72h-NOErL(Pseudokirchneriella subcapitata) >=100 mg/L (OECD TG 201) (ECHA)
- Distillates (petroleum), hydrotreated heavy paraffinic : 72h-NOErL(Pseudokirchnerella subcapitata) >= 100 mg/L (유사물질: 72623-87-1) (OECD TG 201) (ECHA)
- tert-Alkyl(C=12-14) amines : 자료없음

나. 잔류성 및 분해성

○ 잔류성

- 1-Decene, homopolymer, hydrogenated : log Kow > 6.5 (20 °C; pH:7) (OECD TG 117, GLP) (ECHA)
- Fatty acids, (C=8-10), triesters with trimethylolpropane : log Kow=10.64 (QSAR) (ECHA); 유효하지 않은 자료 (-4<log Kow<8의 범위 초과)
- 2-Methyl-1-propene, sulfurized : log Kow 4.67 (예측치)
- Trade secret : 자료없음
- Trilauryl phosphite : log Kow = 15.48 (예측치) (EPISUITE); 유효하지 않은 자료 (-4<log Kow<8의 범위 초과)
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : log Kow=7.05 (예측치) (EPISUITE)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : log Kow = 9.2 (0 °C) (EU Method A.8, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : log Kow = 6.13 (실험치) (EPISUITE)
- Distillates (petroleum), hydrotreated heavy paraffinic : 본 물질은 UVCB이므로 해당없음 (ECHA)
- tert-Alkyl(C=12-14) amines : log Kow = 4.65 (예측치)(EPISUITE)

○ 분해성

- 1-Decene, homopolymer, hydrogenated : 자료없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 자료없음
- 2-Methyl-1-propene, sulfurized : 자료없음
- Trade secret : 자료없음
- Trilauryl phosphite : 자료없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 물과 접촉시 가수분해되지 않음 (ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 본 물질은 거의 불용성 물질(< 0.03 mg/l)이므로 본 항목에 대한 시험은 불필요함(REACH Annex VIII column 2에 근거)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 자료없음

- Distillates (petroleum), hydrotreated heavy paraffinic : 기타 윤활기유 카테고리를 구성하는 화학물질은 전적으로 탄소와 수소로 구성되어 있으며 가수분해성 작용기를 포함하지 않으므로 이러한 가수분해 과정은 환경에서 제거되는 데 기여하지 않음 (ECHA)
- tert-Alkyl(C=12-14) amines : 자료없음

다. 생물농축성

○ 생물농축성

- 1-Decene, homopolymer, hydrogenated : 이 카테로리류의 물질은 생물농축하지 않는 것으로 예상됨 (ECHA)
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 자료없음
- 2-Methyl-1-propene, sulfurized : BCF 25.69 (예측치)
- Trade secret : 자료없음
- Trilauryl phosphite : BCF = 3.162 (예측치) (EPISIUTE)
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : BCF=1730 (ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : BCF=258 (OECD TG 305, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : BCF = 5147 (예측치) (EPISUITE)
- Distillates (petroleum), hydrotreated heavy paraffinic : 본 물질은 UVCB이므로 해당없음 (ECHA)
- tert-Alkyl(C=12-14) amines : BCF = 23.04 (예측치)(EPISUITE)

○ 생분해성

- 1-Decene, homopolymer, hydrogenated : 28일 후 2 % 생분해됨; 난분해성 (OECD TG 301D, GLP) (ECHA)
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 28일 후 78% 생분해됨; 이분해성 (OECD TG 301F, GLP) (ECHA)
- 2-Methyl-1-propene, sulfurized : 자료없음
- Trade secret : 자료없음
- Trilauryl phosphite : 자료없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 28일 후 1% 생분해됨; 난분해성 (OECD TG 301B, GLP) (ECHA)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 본질적으로 생분해성 물질 아님 (EU Method C.9, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 28일 후 31 % 생분해됨; 난분해성 (OECD TG 301F, GLP) (ECHA)
- Distillates (petroleum), hydrotreated heavy paraffinic : 본 물질은 본질적으로 생분해되나 쉽게 생분해되지 않는 (28일 후 31% 생분해됨)것으로 확인됨 (유사물질 자료: Solvent Neutral 600 Base Oil (MRD-94-981)) (OECD TG 301F, GLP) (ECHA)
- tert-Alkyl(C=12-14) amines : 28일 후 22% 생분해 됨; 난분해성 (HPVIS)

라. 토양이동성

- 1-Decene, homopolymer, hydrogenated : 자료없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : Koc=316600 (EPISUITE)
- 2-Methyl-1-propene, sulfurized : Koc 11290 (토양흡착성 있음)
- Trade secret : 자료없음
- Trilauryl phosphite : Koc = 27210000000000 (EPISUITE)
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : Koc=60460 (EPISUITE)
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : Koc=258600 (EPISUITE)
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Koc=208800 (EPISUITE)
- Distillates (petroleum), hydrotreated heavy paraffinic : 자료없음

- tert-Alkyl(C=12-14) amines : Koc = 2988 (예측치)(EPISUITE)

마. 오존층 유해성

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 자료없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

바. 기타 유해 영향

- 1-Decene, homopolymer, hydrogenated : 자료없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 자료없음
- 2-Methyl-1-propene, sulfurized : 자료없음
- Trade secret : 자료없음
- Trilauryl phosphite : 자료없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 자료없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 자료없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 자료없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 자료없음
- tert-Alkyl(C=12-14) amines : 자료없음

13. 폐기시 주의사항

가. 폐기방법

- 기름과 물을 분리하여 분리된 기름성분은 소각하고, 분리한 후 남은 물은 수질오염방지시설에서 처리하시오.
- 증발・농축방법으로 처리한 후 그 잔재물은 소각하거나 안정화 처리하시오.
- 응집・침전방법으로 처리한 후 그 잔재물은 소각하시오.
- 분리・증류・추출・여과・열분해의 방법으로 정제 처리하시오.
- 소각하거나 안정화 처리 하시오.
- 폐기물관리법에 의한 지정폐기물에 해당하는 처리기준 및 방법에 따라 처분하시오.

나. 폐기시 주의사항

- 사업장폐기물을 배출하는 사업자(사업장폐기물배출자)는 사업장에서 발생하는 폐기물을 스스로 처리하거나, 폐기물 처리업의 허가를 받은 자, 다른 사람의 폐기물을 재활용하는 자, 폐기물 처리시설을 설치 운영하는 자 또는 해양오염방지법 규정에 의하여 폐기물해양배출업을 등록한 자에게 위탁하여 처리하시오.
- 폐기물관리법상 규정에 명시된 처리 시 주의사항을 고려하시오.

14. 운송에 필요한 정보

가. 유엔번호(UN No.)

- 해당없음

나. 적정선적명

- 해당없음

다. 운송에서의 위험성 등급

- 해당없음

라. 용기등급

- 해당없음

마. 해양오염물질

- 해당없음

바. 사용자가 운송 또는 운송수단에 관련해 알 필요가 있거나 필요한 특별한 안전대책

- 화재시 비상조치의 종류 : 해당없음
- 유출시 비상조치의 종류 : 해당없음
- 육상/해상/항공 운송규제사항(ADR/RID, AND, IMDG, ICAO/IATA)에 의한 분류 및 규제 : 해당없음

15. 법적 규제현황

가. 산업안전보건법에 의한 규제

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : PSM대상물질
- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

나. 화학물질관리법에 의한 규제 - PRODUCT : 해당없음

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

다. 화학물질의등록 및 평가 등에관한 법률에 의한 규제

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음

- tert-Alkyl(C=12-14) amines : 해당없음

라. 위험물안전관리법에 의한 규제 - PRODUCT : 제4류 인화성액체제4석유류, 6000L

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 위험물
- tert-Alkyl(C=12-14) amines : 해당없음

마. 폐기물관리법에 의한 규제 - PRODUCT : 지정폐기물- 폐유(액체상태)

바. 기타 국내 및 외국법에 의한 규제

○ 고압가스안전관리법

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

○ 잔류성유기오염물질관리법

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

○ EU 규제정보

EU 분류정보(확정분류결과)

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음

- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

EU 분류정보(위험문구)

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

EU 분류정보(안전문구)

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

REACH 제한물질

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : REACH 제한물질
- Distillates (petroleum), hydrotreated heavy paraffinic : REACH 제한물질
- tert-Alkyl(C=12-14) amines : 해당없음

REACH 허가대상물질

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음

- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

REACH SVHC

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

EU PBT

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

○ 미국 규제정보

미국관리정보(OSHA 규정)

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

미국관리정보(CERCLA 규정)

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음

- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

미국관리정보(EPCRA 302 규정)

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

미국관리정보(EPCRA 304 규정)

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

미국관리정보(EPCRA 313 규정)

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

○ 국제협약 정보

로테르담 협약물질

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음

- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

스톡홀름 협약물질

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

몬트리올 의정서물질

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

○ **National Inventory**

유럽 기존화학물질 Inventory(EINECS)

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 유럽 EINECS 기존화학물질
- 2-Methyl-1-propene, sulfurized : 유럽 EINECS 기존화학물질
- Trade secret : 해당없음
- Trilauryl phosphite : 유럽 EINECS 기존화학물질
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 유럽 EINECS 기존화학물질
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 유럽 EINECS 기존화학물질
- Distillates (petroleum), hydrotreated heavy paraffinic : 유럽 EINECS 기존화학물질
- tert-Alkyl(C=12-14) amines : 유럽 EINECS 기존화학물질

유럽 신고화학물질 Inventory(ELINCS)

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음

- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음
- Trilauryl phosphite : 해당없음
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 해당없음
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 해당없음

미국 기존화학물질 Inventory(TSCA)

- 1-Decene, homopolymer, hydrogenated : 미국 TSCA 기존화학물질
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 미국 TSCA 기존화학물질
- Trade secret : 해당없음
- Trilauryl phosphite : 미국 TSCA 기존화학물질
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 미국 TSCA 기존화학물질
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 미국 TSCA 기존화학물질
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 미국 TSCA 기존화학물질
- Distillates (petroleum), hydrotreated heavy paraffinic : 미국 TSCA 기존화학물질
- tert-Alkyl(C=12-14) amines : 미국 TSCA 기존화학물질

중국 기존화학물질 Inventory(IECSC)

- 1-Decene, homopolymer, hydrogenated : 중국 기존화학물질
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 중국 기존화학물질
- 2-Methyl-1-propene, sulfurized : 중국 기존화학물질
- Trade secret : 해당없음
- Trilauryl phosphite : 중국 기존화학물질
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 중국 기존화학물질
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 중국 기존화학물질
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 중국 기존화학물질
- Distillates (petroleum), hydrotreated heavy paraffinic : 중국 기존화학물질
- tert-Alkyl(C=12-14) amines : 중국 기존화학물질

일본 기존화학물질 Inventory(ENCS)

- 1-Decene, homopolymer, hydrogenated : 해당없음
- Fatty acids, (C=8-10), triesters with trimethylolpropane : 해당없음
- 2-Methyl-1-propene, sulfurized : 해당없음
- Trade secret : 해당없음
- Trilauryl phosphite : 일본 ENCS 기존화학물질
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : 해당없음
- 3,5-Bis(1,1-Dimethylethyl)-4-hydroxy benzene propanoic acid branched alkyl (C=7-9) ester : 해당없음
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 일본 ENCS 기존화학물질
- Distillates (petroleum), hydrotreated heavy paraffinic : 해당없음
- tert-Alkyl(C=12-14) amines : 일본 ENCS 기존화학물질

16. 기타 참고사항

가. 자료의 출처

- 본 MSDS는 내부 기술데이터 및 OECD eChemPortal, ECHA, NITE, TOXNET, IPCS, KOSHA 등을 근거로 작성하였음.

나. 최초작성일자

- 2012-11-30

다. 개정횟수 및 최종 개정일자

○ 개정횟수

- 6

○ 최종 개정일자

- 2025-12-31

○ 최종개정이력

- 업데이트

라. 기타

- 본 MSDS는 산업안전보건법 제110조 및 고용노동부고시 제2025-50호(화학물질의 분류·표시 및 물질안전보건자료에 관한 기준)에 근거하여 국내 관련 규제 법규 현황 등을 고려하여 기술함. 본 MSDS에 포함된 정보는 당사의 최신 지식 및 경험을 바탕으로 제품안전취급 관련 정보에 대해서만 기술한 것이며, 본 MSDS는 제품의 기술자료(TDS), 시험성적서(CoA) 및 규격합의서로(Specification agreement) 사용될 수 없음. 본 제품의 사용자는 현행 법률이 정한 규정을 확인하여 준수할 책무가 있음.