# SDS(Safety Data Sheet)

| Product | DOOSAN DIESEL E/O CK-4 10W-40 | | |
|---|---|---|---|
| MSDS Number | List No. | Issuing date | Last revised date |
| - | LB2700 | 2016-12-01 | 2026-02-23 |

## 1. IDENTIFICATION

**1) Product name**

DOOSAN DIESEL E/O CK-4 10W-40

**2) Recommended use of the chemical and restriction on use**

- Recommended use Lubricants
- Restrictions on use Do not use for any other purpose.

**3) Details of the supplier of the safety data sheet**

○ **Manufacturer**

- Company name GS Caltex Corporation
- Address GS Tower, 508, Nonhyeon-ro, Gangnam-gu, Seoul, Korea
- Emergency telephone number +82-1899-5145

## 2. HAZARDS IDENTIFICATION

**1) Classification of the product**

- Not applicable

**2) Label elements**

○ **Hazard pictograms**

- Not applicable

○ **Signal word**

- Not applicable

○ **Hazard statements**

- Not applicable

○ **Precautionary statements**

**1) Prevention**

- Not applicable

**2) Response**

- Not applicable

**3) Storage**

- Not applicable

**4) Disposal**

- Not applicable

**3) Other hazards**

○ **Product NFPA Level**

(※ 0-Lack, 1-Low, 2-Moderate, 3-High, 4-Very High)

| Product name | Health | Flammable | Reaction |
|---|---|---|---|
| DOOSAN DIESEL E/O CK-4 10W-40 | 0 | 1 | 0 |

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name | Trade names and Synonyms | CAS No. | EC No. | Contain Ratio(%) |
|---|---|---|---|---|
| Distillates (petroleum), hydrotreated heavy paraffinic | Emulsifiable oil | 64742-54-7 | 265-157-1 | 80 ~ 90 |
| Business Secret | | | | 10 ~ 20 |
| Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts | | 134759-18-5 | | 1 ~ 1.5 |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic | Adriatic spindle oil; Mineral oil, petroleum distillates, solvent dewaxed heavy paraffinic (severe solvent-refining and/or hydrotreatment) ; Solvent dewaxed heavy paraffinic distillate | 64742-65-0 | 265-169-7 | 0.5 ~ 1.5 |
| Distillates (petroleum), solvent-dewaxed light paraffinic | Solventdewaxed light paraffinic distillate (petroleum) | 64742-56-9 | 265-159-2 | 0.5 ~ 1.5 |
| Paraffin oils (petroleum), catalytic dewaxed heavy | MINERAL OIL, PETROLEUM DISTILLATES CATALYTIC DEWAXED HEAVY PARAFFINIC (mild or no solvent-refining or hydrotreatment) | 64742-70-7 | 265-174-4 | 0.5 ~ 1.5 |

※ Except for the above components, all components are not listed as they do not meet the criteria for hazardous risk classification in Article 104 (Classification of Hazardous Factors) of Regulated Acts and Occupational Safety and Health Act.

※ This product has less than 3% DMSO extract as measured by the IP346 method.

## 4. FIRST AID MEASURES

**1) Eye contact**

- In case of contact with material, immediately flush eyes with running water for at least 15 minutes.
- If eye irritation persists: Get medical advice/attention.

**2) Skin contact**

- In case of contact with material, immediately flush skin with running water for at least 15 minutes.
- Remove and isolate contaminated clothing and shoes.
- Launder contaminated clothing and shoes before re-use.

- If skin irritation occurs: Get medical advice/attention.

**3) Inhalation**

- Move victim to fresh air.
- Give artificial respiration if victim is not breathing.
- Administer oxygen if breathing is difficult.
- If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

**4) Ingestion**

- If unconscious but breathing, never give anything by mouth
- If swallowed do not induce vomiting, seek medical advice immediat.
- Get immediate medical advice/attention.
- Rinse mouth.

**5) Indication of any immediate medical attention and special treatment needed**

- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

## 5. FIRE FIGHTING MEASURES

**1) Suitable (and unsuitable) extinguishing media**

- Small fire: Dry sand, dry chemical, alcohol-resistant foam, water spray, regular foam, CO2 (Suitable extinguishing media)
- Large fire: Water spray/fog, regular foam (Suitable extinguishing media)
- High-pressure water (Unsuitable extinguishing media)

**2) Special hazards arising from the substance or mixture**

- May be ignited by heat, sparks or flames.
- Fire may produce irritating and/or toxic gases.
- May cause toxic effects if inhaled.

**3) Special protective equipment and precautions for firefighters**

- Substance may be transported hot.
- Runoff may cause pollution.
- Contact may cause burns to skin and eyes.
- Dike fire-control water for later disposal; do not scatter the material.
- Move containers from fire area if you can do it without risk.
- Fire involving Tanks: Cool containers with flooding quantities of water until well after fire is out.
- Fire involving Tanks: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
- Fire involving Tanks: ALWAYS stay away from tanks engulfed in fire.

## 6. ACCIDENTAL RELEASE MEASURES

**1) Health considerations and protective equipment**

- Do not touch or walk through spilled material.
- ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).
- Ventilate the contaminated area.
- Stop leak if you can do it without risk.
- Prevent dust cloud.
- Please note that materials and conditions to be avoided.

**2) Environmental precautions**

- Prevent entry into waterways, sewers, basements or confined areas.

**3) Methods and material for containment and cleaning up**

- Small Spill: Flush area with flooding quantities of water.
- Large Spill: Dike far ahead of liquid spill for later disposal.
- With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.
- Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry.
- Small Spill: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

## 7. HANDLING AND STORAGE

**1) Precautions for safe handling**

- Wash ... thoroughly after handling.
- Please note that materials and conditions to be avoided.
- Handling refer to engineering control/personal protection section.
- Cuation: High temperature

**2) Conditions for safe storage (including any incompatibilities)**

- Store in a dry place. Store in a closed container.
- Please note that materials and conditions to be avoided.
- Store in a closed container.

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**1) Control parameters**

| Chemical name | Exposure limits | ACGIH TLV | OSHA PEL | Biological limit values(BLV) |
|---|---|---|---|---|
| Distillates (petroleum), hydrotreated heavy paraffinic | TWA : 0.8 mg/m3 | TWA 5 mg/m3, Inhalable particulate matter(Mineral oil, Pure, highly and severely refined) | Not available | Not available |
| Business Secret | Not available | Not available | Not available | Not available |
| Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts | Not available | Not available | Not available | Not available |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic | TWA : 0.8 mg/m3 | TWA 5 mg/m3, Inhalable particulate matter(Mineral oil, Pure, highly and severely refined) | Not available | Not available |

| | | | | |
|---|---|---|---|---|
| Distillates (petroleum), solvent-dewaxed light paraffinic | TWA : 0.8 mg/m3 | TWA 5 mg/m3, Inhalable particulate matter(Mineral oil, Pure, highly and severely refined) | Not available | Not available |
| Paraffin oils (petroleum), catalytic dewaxed heavy | Not available | TWA 5 mg/m3, Inhalable particulate matter(Mineral oil, Pure, highly and severely refined) | Not available | Not available |

**2) Appropriate engineering controls**

- Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.
- Adjust the ventilation rate to suit the condition.

**3) Personal protection equipment**

○ **Respiratory protection**
- Wear a adequate respiratory protection equipment with certificate by considering physicochemical properties of exposured particulate material.
- In case exposured to particulate material, the respiratory protective equipments as follow are recommended. - facepiece filtering respirator or air-putifying respirator, high-efficiency particulate air(HEPA) filter media or resporator equipped with power
- In lack of oxigan(<19.6%), wear the supplied-air respiratior or self-contained breathing apparatus.
- Consider the warning characteristics beforehand.

○ **Eye protection**
- Wear breathable safety goggles to protect from material causing eye irritation or other disorder.
- An eye wash unit and safety shower station should be available nearby work place.
- In case of direct exposure or potential exposure to the substance, wear safety glasses for chemicals approved in the country.

○ **Hand protection**
- Wear appropriate protective gloves by considering physical and chemical properties of chemicals.
- In case of direct exposure or potential exposure to the substance, wear safety gloves for chemicals approved in the country.

○ **Body protection**
- Wear appropriate protective clothing by considering physical and chemical properties of chemicals.
- In case of direct exposure or potential exposure to the substance, wear protective clothing for chemicals approved in the country.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

| Item | Input Value |
|---|---|
| Apperance | Liquid |

| | |
|---|---|
| Color | No Data |
| Smell | a specific smell of hydrocarbon |
| Smell Threshold | No Data |
| pH (Numerical value) | No Data |
| Melting/Freezing Point | No Data |
| Boilling Point | No Data |
| Flash Point | 230 ℃ |
| Evaporating Rate | No Data |
| Flammability(Solid, Gas) | No Data |
| Explosibility Range | No Data |
| Steam Pressure | No Data |
| Solubility | No Data |
| Vapor Density | No Data |
| Specific Gravity | 0.863 |
| Distribution Coefficient | No Data |
| SelfIgnition Temperature | No Data |
| Pyrolysis Temperature | No Data |
| Viscosity | 14.7 mm2/s (at 100℃) |
| Molecular Weight | No Data |

## 10. STABILITY AND REACTIVITY

**1) Chemical Stability and hazardous reactivity**
- Stable under normal temperatures and pressures.
- Containers may explode when heated.
- Some may burn but none ignite readily.

**2) Conditions to avoid**
- Ignition source(heat, spark, flame)

**3) Incompatible materials**
- Combustibles
- Irritating and/or toxic gas

**4) Hazardous decomposition products**
- Not available

## 11. TOXICOLOGICAL INFORMATION

**1) Information on the likely routes of exposures**

○ **Inhalation**

- No inhalation effects through respiratory system.

○ **Skin contact**

- No effect on skin contact.

○ **Eye contact**

- No effect on eye contact.

○ **Ingestion**

- No ingestion effect through mouth.

**2) Health hazard information**

○ **Acute toxicity**

*** Oral - Not classified (ATEmix > 2000 mg/kg)**

- Distillates (petroleum), hydrotreated heavy paraffinic : rat(male/female), LD50 > 5,000 mg/kg bw, no deaths (read-across: 64742-56-9) (OECD TG 401, GLP) (ECHA)
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rat(male/female); LD50 > 5000 mg/kg bw, no deaths (OECD TG 401, GLP) (read across: 64742-56-9) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : rat; LD50 > 5000 mg/kg bw, no deaths (OECD TG 401, GLP) (ECHA)
- Paraffin oils (petroleum), catalytic dewaxed heavy : rat(male/female); LD50 > 5000 mg/kg bw, no deaths (OECD TG 401, GLP) (read across: 64742-56-9) (ECHA)

*** Dermal - Not classified (ATEmix > 2000 mg/kg)**

- Distillates (petroleum), hydrotreated heavy paraffinic : rabbit(male/female), LD50 > 5,000 mg/kg bw, no deaths (read-across: 64742-56-9) (OECD TG 402, GLP) (ECHA)
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rabbit(male/female); LD50 > 5000 mg/kg bw, no deaths (OECD TG 402, GLP) (read across: 64742-56-9) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : rabbit; LD50 > 5000 mg/kg bw, no deaths (OECD TG 402, GLP) (ECHA)
- Paraffin oils (petroleum), catalytic dewaxed heavy : rabbit(male/female); LD50 > 5000 mg/kg bw, no deaths (OECD TG 402, GLP) (read across: 64742-56-9) (ECHA)

*** Inhalation(Gas) - Not applicable**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not applicable

*** Inhalation(Vapour) - Not classified (ATEmix > 20 mg/L)**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not available
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not available

*** Inhalation(Dust, mist) - Not classified (ATEmix > 5 mg/L)**

- Distillates (petroleum), hydrotreated heavy paraffinic : inhalation: aerosol; rat(male/female); 4h-LC50 > 5.53 mg/L. No deaths (read-across: MRD-87-102) (OECD TG 403)(ECHA)
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rat(male/female); inhalation: aerosol; LC50 > 5.53 mg/L air /4h, no deaths (OECD TG 403) (read across: MRD-87-102) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : rat; inhalation: aerosol; LC50 > 5.53 mg/L air/4h, no deaths (OECD TG 403) (read across : MRD-87-102) (ECHA)
- Paraffin oils (petroleum), catalytic dewaxed heavy : rat(male/female); inhalation: aerosol; LC50 > 5.53 mg/L air /4h, no deaths (OECD TG 403) (read across: MRD-87-102) (ECHA)

○ **Skin corrosion/Irritation : Not classified**

| | | |
|---|---|---|
| - Distillates (petroleum), hydrotreated heavy paraffinic | : | Solvent dewaxed light paraffinic oil is not considered to be irritating to the skin of rabbits. (read across : 64742-56-9) (GLP) (ECHA) |
| - Business Secret | : | Not available |
| - Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts | : | Not available |
| - Distillates (petroleum), solvent-dewaxed heavy paraffinic | : | rabbit; not irritating (GLP) (read across: 64742-56-9) (ECHA) |
| - Distillates (petroleum), solvent-dewaxed light paraffinic | : | rabbit; not irritating (GLP) (ECHA) |
| - Paraffin oils (petroleum), catalytic dewaxed heavy | : | rabbit; not irritating (GLP) (read across: 64742-56-9) (ECHA) |

○ **Serious eye damage/irritation : Not classified**

| | | |
|---|---|---|
| - Distillates (petroleum), hydrotreated heavy paraffinic | : | Solvent dewaxed light paraffinic oil is not considered to be an ocular irritant. (read-aross: 64742-56-9) (equivalent or similar to guideline OECD TG 405, GLP) (ECHA) |
| - Business Secret | : | Not available |
| - Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts | : | Not available |
| - Distillates (petroleum), solvent-dewaxed heavy paraffinic | : | rabbit; not irritating (OECD TG 405, GLP) (read across: 64742-56-9) (ECHA) |
| - Distillates (petroleum), solvent-dewaxed light paraffinic | : | rabbit; not irritating (GLP) (ECHA) |
| - Paraffin oils (petroleum), catalytic dewaxed heavy | : | rabbit; not irritating (OECD TG 405, GLP) (read across: 64742-56-9) (ECHA) |

○ **Respiratory sensitization : Not classified**

| | | |
|---|---|---|
| - Distillates (petroleum), hydrotreated heavy | : | Not available |

paraffinic

- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not available
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not available

○ **Skin sensitization : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : Under the conditions of the test, Solvent dewaxed light paraffinic oil is considered non-sensitizing for guinea-pigs. (read-aross: 64742-56-9) (OECD TG 406, GLP) (ECHA)
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : guinea pig; not sensitising (OECD TG 406, GLP) (read across: 64742-53-6) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : guinea pig; not sensitising (OECD TG 406, GLP) (ECHA)
- Paraffin oils (petroleum), catalytic dewaxed heavy : guinea pig; not sensitising (OECD TG 406, GLP) (read across: 64742-53-6) (ECHA)

○ **Carcinogenicity : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : EU CLP 1272/2008 : Carc. 1B (Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346)
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : IARC, EU CLP 1272/2008, OSHA, ACGIH, US EPA IRIS, NTP : not listed
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : EU CLP 1272/2008 : Carc. 1B (Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346)
- Distillates (petroleum), solvent-dewaxed light paraffinic : EU CLP 1272/2008 : Carc. 1B (Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346)
- Paraffin oils (petroleum), catalytic dewaxed heavy : EU CLP 1272/2008: Carc. 1B (Note L: Lubricant base oils are non-carcinogenic if DMSO extract as measured by IP346 is less than 3% and are considered

sufficiently refined.)

○ **Germ cell mutagenicity : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : In vitro bacterial reverse mutation assay: negative (equivalent or similar to guideline OECD TG 471) (ECHA)
  In vitro mammalian chromosome aberration test: negative (read-aross : 64742-53-6) (equivalent or similar to guideline OECD TG 473, GLP) (ECHA)
  In vivo micronucleus assay : negative (read-across : 64741-62-4, 64741-53-3) (equivalent or similar to guideline OECD TG 474) (ECHA)
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : In vitro Bacterial Reverse Mutation Assay : positive (OECD TG 471) (read across: 64741-50-0) (ECHA), In Vitro Mammalian Chromosome Aberration Test : negative (OECD TG 473) (read across: L-06 Light Hydrotreated Feedstock) (ECHA)
  In vivo Mammalian Erythrocyte Micronucleus Test : negative (OECD TG 474) (read across: solvent-extracted, dewaxed paraffin oil) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : in vitro; Mammalian Chromosome Aberration Test : Negative (OECD TG 473, GLP) (ECHA)
  in vitro; Mammalian Cell Gene Mutation Test : Positive (OECD TG 476) (ECHA)
  in vitro; Bacterial Reverse Mutation Assay : Positive (OECD TG 471, GLP) (ECHA)
  in vivo; Mammalian Erythrocyte Micronucleus Test : Negative (OECD TG 474) (ECHA)
- Paraffin oils (petroleum), catalytic dewaxed heavy : In vitro Bacterial Reverse Mutation Assay : positive (OECD TG 471) (read across: 64741-50-0) (ECHA), In Vitro Mammalian Chromosome Aberration Test : negative (OECD TG 473) (read across: L-06 Light Hydrotreated Feedstock) (ECHA)
  In vivo Mammalian Erythrocyte Micronucleus Test : negative (OECD TG 474) (read across: solvent-extracted, dewaxed paraffin oil) (ECHA)

○ **Reproductive toxicity : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : rat; screening for reproductive / developmental toxicity; Reproductive performance was not adversely affected at any dose level evaluated. There were no neonatal toxicity observed at any dose level. There were no differences in terms of systemic toxicity between either of the dose formulations. (read-aross : Chevron 100 Neutral) (OECD TG 421, GLP) (ECHA)
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rat(male/female); 1000 mg/kg/day; Reproduction / Developmental Toxicity Screening Test; Reproductive performance was not adversely affected at any dose level evaluated. There were no neonatal toxicity observed at any dose level. There were no differences in terms of systemic toxicity between either of the dose formulations. (OECD TG 421, GLP) (read across: Chevron 100 Neutral)

(ECHA)

- Distillates (petroleum), solvent-dewaxed light paraffinic : rat; Does not adversely affect reproductive function (OECD TG 421, GLP)
  rat; Not toxic to offspring and parents (OECD TG 414) (ECHA)
- Paraffin oils (petroleum), catalytic dewaxed heavy : rat(male/female); 1000 mg/kg/day; Reproduction / Developmental Toxicity Screening Test; Reproductive performance was not adversely affected at any dose level evaluated. There were no neonatal toxicity observed at any dose level. There were no differences in terms of systemic toxicity between either of the dose formulations. (OECD TG 421, GLP) (read across: Chevron 100 Neutral) (ECHA)

○ **Specific target organ toxicity (single exposure) : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : Hydronephrosis of the right kidney was observed in one rat but was not considered treatment-related by the study authors. No other abnormalities were observed in any male or female rats. (read-across: 64742-56-9) (OECD TG 401, GLP)(ECHA)
  Dermal administration of API 78-9 at 5000 mg/kg did not result in any dermal irritation or signs of clinical toxicity. Gross necroscopy did not reveal any signs of systemic toxicity at the 5000 mg/kg dose level. (read-across: 64742-56-9) (OECD TG 402, GLP)(ECHA)
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : oral; rat(male/female); No clinical signs of toxicity observed in either male or female rats. LD50 > 5000 ㎎/kg bw, no deaths (OECD TG 401, GLP) (read across: 64742-56-9) (ECHA)
  dermal; rabbit(male/female); No visible signs of clinical toxicity were observed in male and female rabbits dosed with API 78-9 at 5000 mg/kg. LD50 > 5000 ㎎/kg bw, no deaths (OECD TG 402, GLP) (read across: 64742-56-9) (ECHA)
  inhalation: aerosol; rat(male/female); The test material which was deposited on the animal fur during exposure diminished by observation Day 10. No mortality in either the control or exposed group was reported. There were no statistically significant differences in mean body weight between groups. LC50 > 5.53 mg/L air /4h, no deaths (OECD TG 403) (read across: MRD-87-102) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : oral; rat; No clinical signs of toxicity observed in either male or female rats. LD50 > 5000 mg/kg bw, no deaths (OECD TG 401, GLP) (ECHA)
  dermal; rabbit; No visible signs of clinical toxicity were observed. LD50 > 5000 mg/kg bw, no deaths (OECD TG 402, GLP) (ECHA)
- Paraffin oils (petroleum), catalytic dewaxed heavy : oral; rat(male/female); No clinical signs of toxicity observed in either male or female rats. LD50 > 5000 ㎎/kg bw, no deaths (OECD TG 401, GLP) (read across: 64742-56-9) (ECHA)
  dermal; rabbit(male/female); No visible signs of clinical toxicity were observed in male and female rabbits dosed with API 78-9 at 5000 mg/kg. LD50 > 5000 ㎎/kg bw, no deaths (OECD TG 402, GLP) (read across: 64742-56-9) (ECHA)
  inhalation: aerosol; rat(male/female); The test material which was deposited on the animal fur during exposure diminished by observation Day 10. No mortality

in either the control or exposed group was reported. There were no statistically significant differences in mean body weight between groups. LC50 > 5.53 mg/L air /4h, no deaths (OECD TG 403) (read across: MRD-87-102) (ECHA)

○ **Specific target organ toxicity (repeated exposure) : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : Dermal; The systemic toxicity NOAEL for this 28-day dermal toxicity study in the rabbit is 1,000 mg/kg, based on the lack of adverse systemic effects observed at this dose level. (read-aross : 64742-53-6) (OECD TG 410, GLP) (ECHA)
  Inhalation; rat; 4 weeks; 0, 50, 220 or 1000 mg/m3; No systemic effects were observed. The NOAEL for lung changes associated with oil deposition in the lungs was 220 mg/m3. As no systemic toxicity was observed, the overall NOAEL for systemic effects was > 980 mg/m3. (equivalent or similar to guideline OECD TG 412) (ECHA)
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : rabbit(male/female); dermal; The systemic toxicity NOAEL for this 28-day dermal toxicity study in the rabbit is 1,000 mg/kg, based on the lack of adverse systemic effects observed at this dose level. (OECD TG 410, GLP) (read across: 64742-53-6) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : oral; rat(male/female); No clinical signs of toxicity observed in either male or female rats. LD50 > 5000 ㎎/kg bw, no deaths (OECD TG 401, GLP) (read across: 64742-56-9) (ECHA)
  dermal; rabbit(male/female); No visible signs of clinical toxicity were observed in male and female rabbits dosed with API 78-9 at 5000 mg/kg. LD50 > 5000 ㎎/kg bw, no deaths (OECD TG 402, GLP) (read across: 64742-56-9) (ECHA)
  inhalation: aerosol; rat(male/female); The test material which was deposited on the animal fur during exposure diminished by observation Day 10. No mortality in either the control or exposed group was reported. There were no statistically significant differences in mean body weight between groups. LC50 > 5.53 mg/L air /4h, no deaths (OECD TG 403) (read across: MRD-87-102) (ECHA)
- Paraffin oils (petroleum), catalytic dewaxed heavy : rat(male/female); dermal; 13 weeks; No systemic or local effects were considered significant, and the NOAEL is ≥ 2000 mg/kg/day. (OECD TG 411) (ECHA)

○ **Aspiration hazard : Not classified**

- Distillates (petroleum), hydrotreated heavy paraffinic : Viscosity: 73.9 mm2/s (40°C)(ECHA) & hydrocarbons
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 52.1 mm2/s (40°C) & hydrocarbons
- Distillates (petroleum), : 8.4 mm2/s (40°C) (ECHA) & hydrocarbons

solvent-dewaxed light paraffinic

- Paraffin oils (petroleum), catalytic dewaxed heavy : >2 mm²/s (40 ºC) (ECHA) & hydrocarbons

## 12. ECOLOGICAL INFORMATION

**1) Ecotoxicity**

- Acute toxicity : Not classfied (ATEmix>1mg/L)
- Chronic toxicity : Not classfied

○ **Acute (short-term) aquatic hazard:**

**Fish**

- Distillates (petroleum), hydrotreated heavy paraffinic : 96h-LL50(Pimephales promelas) > 100 mg/L (OECD TG 203, GLP) (ECHA)
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 96h-LL50(Pimephales promelas) > 100 mg/L (OECD TG 203, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : 96h-LL50(Pimephales promelas) > 100 mg/L (OECD TG 203, GLP) (ECHA)
- Paraffin oils (petroleum), catalytic dewaxed heavy : 96h-LL50(Pimephales promelas) > 100 mg/L (OECD TG 203, GLP) (ECHA)

**Invertebrates**

- Distillates (petroleum), hydrotreated heavy paraffinic : 48h-EL50(Daphnia magna) > 10,000 mg/L (read across : 64742-53-6 or 64741-97-5) (equivalent or similar to guideline OECD TG 202) (ECHA)
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 48h-EL50(Daphnia magna) > 10000 mg/L (OECD TG 202) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : 48h-EL50(Daphnia magna) > 10000 mg/L (OECD TG 202) (ECHA)
- Paraffin oils (petroleum), catalytic dewaxed heavy : 48h-EL50(Daphnia magna) > 10000 mg/L (OECD TG 202) (ECHA)

**Aquatic algae**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not available
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not available

○ **Chronic (Long-term) aquatic hazard:**

**Fish**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available

- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not available
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not available

**Invertebrates**

- Distillates (petroleum), hydrotreated heavy paraffinic : 21d-NOEL(Daphnia magna)=10 mg/L (read across: 64742-53-6) (equivalent or similar to guideline OECD TG 211, GLP) (ECHA)
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 21d-NOEL(Daphnia magna) = 10 mg/L (OECD TG 211, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : 21d-NOEL(Daphnia magna) = 10 mg/L (OECD TG 211, GLP) (ECHA)
- Paraffin oils (petroleum), catalytic dewaxed heavy : 21d-NOEL(Daphnia magna) = 10 mg/L (OECD TG 211, GLP) (ECHA)

**Aquatic algae**

- Distillates (petroleum), hydrotreated heavy paraffinic : 72h-NOErL(Pseudokirchnerella subcapitata) >= 100 mg/L (read across: 72623-87-1) (OECD TG 201) (ECHA)
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 72h-NOErL(Pseudokirchneriella subcapitata) >=100 mg/L (OECD TG 201) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : 72h-NOErL(Pseudokirchneriella subcapitata) >=100 mg/L (OECD TG 201) (ECHA)
- Paraffin oils (petroleum), catalytic dewaxed heavy : 72h-NOErL(Pseudokirchneriella subcapitata) >=100 mg/L (OECD TG 201) (ECHA)

**2) Persistence and degradability**

○ **Persistence**

- Distillates (petroleum), hydrotreated heavy paraffinic : This substance is UVCB, so it is not applicable. (ECHA)
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : log Kow = 6.13 (experimental) (EPISUITE)
- Distillates (petroleum), solvent-dewaxed light paraffinic : log Kow = 6.13 (experimental) (EPISUITE)
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not available

○ **Degradability**

- Distillates (petroleum), hydrotreated heavy paraffinic : The chemical constituents that comprise the other lubricant base oils category consist entirely of carbon and hydrogen and do not contain hydrolyzable groups. As such, they have a very low potential to hydrolyze. Therefore, this degradative process will not contribute to their removal from the environment. (ECHA)
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not available
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not available

**3) Bioaccumulative potential**

○ **Bioaccumulation**

- Distillates (petroleum), hydrotreated heavy paraffinic : This substance is UVCB, so it is not applicable. (ECHA)
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : BCF = 5147 (estimated) (EPISUITE)
- Distillates (petroleum), solvent-dewaxed light paraffinic : BCF = 5147 (EPISUITE)
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not available

○ **Biodegradation**

- Distillates (petroleum), hydrotreated heavy paraffinic : Another lubricant base oil, Solvent Neutral 600 Base Oil (MRD-94 -981), was determined to be inherently biodegradable but not readily biodegradable with a mean degradation of 31.13% by day 28. (read across: Solvent Neutral 600 Base Oil (MRD-94-981)) (OECD TG 301F, GLP) (ECHA)
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : 31 % degradation after 28d; not readily biodegradable (OECD TG 301F, GLP) (ECHA)
- Distillates (petroleum), solvent-dewaxed light paraffinic : 31% degradation after 28 days; not readily biodegradable (OECD TG 301F, GLP) (ECHA)
- Paraffin oils (petroleum), catalytic dewaxed heavy : 31 % degradation after 28d; not readily biodegradable (OECD TG 301F, GLP) (ECHA)

**4) Mobility in soil**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Koc=208800 (EPISUITE)
- Distillates (petroleum), solvent-dewaxed light paraffinic : Koc = 208800 (EPISUITE)
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not available

**5) Hazard to the ozone layer**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not applicable

**6) Other adverse effects**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Business Secret : Not available
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not available
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not available
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not available
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not available

## 13. DISPOSAL CONSIDERATIONS

**1) Disposal methods**

- Not available

**2) Special precaution for disposal**

- The user of this product must disposal by oneself or entrust to waste disposer or person who other's waste recycle and dispose, person who establish and operate waste disposal facilities.
- Dispose of waste in accordance with all applicable laws and regulations.

## 14. TRANSPORT INFORMATION

**1) UN No.**

- Not applicable

**2) Proper shipping name**

- Not applicable

**3) Transport hazard class(es)**

- Not applicable

**4) Packing group**

- Not applicable

**5) Marine pollutant**

- Not applicable

**6) Special safety response for transportation or transportation measure**

- Types of Emergency Measures in Case of Fire : Not applicable
- Types of Emergency Measures in Leakage : Not applicable
- Transport regulations according to ADR/RID, AND, IMDG and ICAO/IATA : Not applicable

## 15. REGULATORY INFORMATION

**EINECS( or ELINCS)**

- Distillates (petroleum), hydrotreated heavy paraffinic : European EINECS phase-in substance
- Business Secret : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : European EINECS phase-in substance
- Distillates (petroleum), solvent-dewaxed light paraffinic : European EINECS phase-in substance
- Paraffin oils (petroleum), catalytic dewaxed heavy : European EINECS phase-in substance

**EU CLP (CLASSIFICATION) - PRODUCT : Not applicable**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Business Secret : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not applicable

**Substances restricted under REACH**

- Distillates (petroleum), hydrotreated heavy paraffinic : Substances restricted under REACH
- Business Secret : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Substances restricted under REACH

- Distillates (petroleum), solvent-dewaxed light paraffinic : Substances restricted under REACH
- Paraffin oils (petroleum), catalytic dewaxed heavy : Substances restricted under REACH

**Substances subject to authorization under REACH**

**REACH SVHC List**

**Korea**

○ **Occupational Safety and Health Act**

- Distillates (petroleum), hydrotreated heavy paraffinic : Substance subject to occupational exposure limits, Harmful agents subject to work environment monitoring, Harmful agents subject to workers requiring health examination
- Business Secret : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Hazardous substance subject to control
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Substance subject to occupational exposure limits, Harmful agents subject to work environment monitoring, Harmful agents subject to workers requiring health examination
- Distillates (petroleum), solvent-dewaxed light paraffinic : Substance subject to occupational exposure limits, Harmful agents subject to work environment monitoring, Harmful agents subject to workers requiring health examination
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not applicable

○ **K-REACH**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Business Secret : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not applicable

○ **Chemical Control Act in Korea**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Business Secret : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : List of substance subjected to the PRTR
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not applicable

○ **Safety Control of Dangerous Substances Act**

- Distillates (petroleum), hydrotreated heavy paraffinic : Dangerous substance
- Business Secret : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not applicable

**U.S.A**

○ **US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Business Secret : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not applicable

- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not applicable

○ **CERCLA Designation of hazardous substances (40 CFR 302.4)**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Business Secret : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not applicable

○ **CERCLA Section 302 regulation**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Business Secret : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not applicable

○ **CERCLA Section 304 regulation**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Business Secret : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not applicable

○ **CERCLA Section 313 regulation**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Business Secret : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not applicable

**Interntional Convention on Environment**

○ **Rotterdam Convention list**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Business Secret : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not applicable

○ **Stockholm Convention list**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Business Secret : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable

- Paraffin oils (petroleum), catalytic dewaxed heavy : Not applicable

○ **Montreal Protocol list**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Business Secret : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not applicable

**National Inventory**

○ **Korea**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Business Secret : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Not applicable
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not applicable

○ **U.S.A**

- Distillates (petroleum), hydrotreated heavy paraffinic : US TSCA phase-in substance
- Business Secret : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : US TSCA phase-in substance
- Distillates (petroleum), solvent-dewaxed light paraffinic : US TSCA phase-in substance
- Paraffin oils (petroleum), catalytic dewaxed heavy : US TSCA phase-in substance

○ **China**

- Distillates (petroleum), hydrotreated heavy paraffinic : China phase-in substance
- Business Secret : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : China phase-in substance
- Distillates (petroleum), solvent-dewaxed light paraffinic : China phase-in substance
- Paraffin oils (petroleum), catalytic dewaxed heavy : China phase-in substance

○ **Japan**

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Business Secret : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=3-14) esters zinc salts : Not applicable
- Distillates (petroleum), solvent-dewaxed heavy paraffinic : Japan ENCS phase-in substance
- Distillates (petroleum), solvent-dewaxed light paraffinic : Not applicable
- Paraffin oils (petroleum), catalytic dewaxed heavy : Not applicable

## 16. OTHER INFORMATION

**1) Reference**

- Sources of information used in preparing this SDS included one or more of the following: Internal technical data, data from OECD eChemPortal, ECHA, NITE, TOXNET, IPCS and KOSHA search results.

**2) Issue Date**

- 2016-12-01

**3) Revision number and Last date revised**

○ **Number of revised**

- 5

○ **Date of last revision**

- 2026-01-05

○ **Last Revision History**

- Revision of chemical composition and company information

**4) Other**

- The information contained in the Safety Data Sheet is at the date of its issuance to the best of our knowledge correct according to the data available to us. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.